INDEX TO VOLUME 6

This index covers the issues for 1999, as follows: January (Number 1), pages 1–90; February (Number 2), pages 91–164; March (Number 3), pages 165–252; April (Number 4), pages 253–364; May (Number 5), pages 365–368 (the SAEM annual meeting abstracts are indexed in the back of the May issue and hence are not included here); June (Number 6), pages 577–674; July (Number 7), pages 675–770; August (Number 8), pages 771–870; September (Number 9), pages 871–974; October (Number 10), pages 975–1078; November (Number 11), pages 1079–1186; and December (Number 12), pages 1187–1320. The abbreviations used throughout the index are spelled out in the footnote below.

SUBJECTS

Abbreviation(s), effect on MEDLINE searching, 292

Abdominal aortic aneurysm(s), ruptured, diagnosis of (brief report), 661

Abdominal injury(ies), risk assessment in pediatric blunt trauma, 799

Abdominal pain, in aortic aneurysm diagnosis (brief report), 661

in hematocolpometra (brief report), 752

in kidney rupture after ESWL (brief report), 664

transvaginal ultrasonography in, 116

Abstract(s), omitted from 1998's meeting issue (erratum), 565 SAEM annual meeting, 369-548; (errata), 1019

Abuse, ambulance, see under Misuse

intimate partner, see also Domestic violence

intimate partner, see also Domestic Violence intimate partner, reporting in ED vs clinic (brief report), 1992

Academic emergency department(s), staffing nonacademic EDs, 334

Academic emergency medicine, address to First European Congress on Emergency Medicine, 169

code of conduct for, 45

cost control in (commentary), 255

educating the educators (special issue), 253-364

faculty salary and benefits, 1261

future of, 137

juggling academic responsibilities (commentary), 254

planning for future of (commentary), 91

progress of (commentary), 365

sabbaticals in (commentary), 877; 932

sports medicine integrated in practice, 828

trauma resuscitation/critical care fellowship, 331

Academic Emergency Medicine, article divisions in (editor's note), 666

special issue on educating academicians, 253-364

systematic review outline for, 1255

used to swat spider (letter), 868

Academic emergency physician(s), education of, ACGME role (commentary), 260

education of, CORD perspective (commentary), 258

education of (commentary), 253; (special issue), 253-364

guidelines for malpractice consultation, 1066

juggling of responsibilities (commentary), 254 perceptions of training priorities, 280

as poison center directors (letter), 862

Academic health center(s), staffing nonacademic EDs, 334

Academic productivity, see under Productivity

Academic rank(s), and sabbaticals, 932

Academician(s), see Academic emergency physician(s)

Access to care, delays to stroke care, 218

Access to Internet, in Illinois EDs, 1249

Accident(s), see Fall(s); Motor vehicle crash(es); Poisoning(s)

Accreditation Council for Graduate Medical Education, role in educating academicians (commentary), 260

Acetaminophen, poisoning outcome by type of ingestion, 1115 prediction of toxicity (commentary), 1079

ACGME, role in educating academicians (commentary), 260

Acid-base status, effect on ECGs in hypothermia, 1121

Acidosis, metabolic, in restraint-associated cardiac arrest, 239; (letters), 1075; 1076; 1076

ACLS, ethics OSCE for, 302

ventricular tachycardia response to, 609

Acquaintance rape(s), flunitrazepam in (brief report), 966

Acronym(s), effect on MEDLINE searching, 292

ACTH, and adrenal dysfunction, 626

Activated charcoal, granulated, palatability of, 895

Active compression—decompression CPR, quality of life after,

Acuity of illness, and ED utilization trends, 1030

and patient desire for autonomy, 781

Acute arterial occlusion (clinical pearls), 921

Acute cardiac ischemia, sestamibi imaging for, 998

Acute gastric volvulus, with paraesophageal hernia (brief report), 83

Abbreviations in the index: ACGME = Accreditation Council for Graduate Medical Education; AED = automated external defibrillator; AMI = acute myocardial infarction; CO_2 = carbon dioxide; CORD = Council of Emergency Medicine Residency Directors; CPR = cardiopulmonary resuscitation; CT = computed tomography; DCLHb = diaspirin cross-linked hemoglobin; ECG = electrocardiographic; EM = emergency medicine; EMS = emergency medical services; EMT = emergency medical technician; EP = emergency physician; ESR = erythrocyte sedimentation rate; ESWL = extracorporeal shock wave lithotripsy; FDA = Food and Drug Administration; GABHS = group A beta-hemolytic streptococcal; GI = gastrointestinal; ICU = intensive care unit; IM = intravenous; LP = lumbar puncture; IMCS = motor vehicle crash; IMSC = IMSCM N-acetylcysteine; IMSCM N-acetylc

INDEX TO VOLUME 6

This index covers the issues for 1999, as follows: January (Number 1), pages 1–90; February (Number 2), pages 91–164; March (Number 3), pages 165–252; April (Number 4), pages 253–364; May (Number 5), pages 365–368 (the SAEM annual meeting abstracts are indexed in the back of the May issue and hence are not included here); June (Number 6), pages 577–674; July (Number 7), pages 675–770; August (Number 8), pages 771–870; September (Number 9), pages 871–974; October (Number 10), pages 975–1078; November (Number 11), pages 1079–1186; and December (Number 12), pages 1187–1320. The abbreviations used throughout the index are spelled out in the footnote below.

SUBJECTS

Abbreviation(s), effect on MEDLINE searching, 292

Abdominal aortic aneurysm(s), ruptured, diagnosis of (brief report), 661

Abdominal injury(ies), risk assessment in pediatric blunt trauma, 799

Abdominal pain, in aortic aneurysm diagnosis (brief report), 661

in hematocolpometra (brief report), 752

in kidney rupture after ESWL (brief report), 664

transvaginal ultrasonography in, 116

Abstract(s), omitted from 1998's meeting issue (erratum), 565 SAEM annual meeting, 369-548; (errata), 1019

Abuse, ambulance, see under Misuse

intimate partner, see also Domestic violence

intimate partner, see also Domestic Violence intimate partner, reporting in ED vs clinic (brief report), 1992

Academic emergency department(s), staffing nonacademic EDs, 334

Academic emergency medicine, address to First European Congress on Emergency Medicine, 169

code of conduct for, 45

cost control in (commentary), 255

educating the educators (special issue), 253-364

faculty salary and benefits, 1261

future of, 137

juggling academic responsibilities (commentary), 254

planning for future of (commentary), 91

progress of (commentary), 365

sabbaticals in (commentary), 877; 932

sports medicine integrated in practice, 828

trauma resuscitation/critical care fellowship, 331

Academic Emergency Medicine, article divisions in (editor's note), 666

special issue on educating academicians, 253-364

systematic review outline for, 1255

used to swat spider (letter), 868

Academic emergency physician(s), education of, ACGME role (commentary), 260

education of, CORD perspective (commentary), 258

education of (commentary), 253; (special issue), 253-364

guidelines for malpractice consultation, 1066

juggling of responsibilities (commentary), 254 perceptions of training priorities, 280

as poison center directors (letter), 862

Academic health center(s), staffing nonacademic EDs, 334

Academic productivity, see under Productivity

Academic rank(s), and sabbaticals, 932

Academician(s), see Academic emergency physician(s)

Access to care, delays to stroke care, 218

Access to Internet, in Illinois EDs, 1249

Accident(s), see Fall(s); Motor vehicle crash(es); Poisoning(s)

Accreditation Council for Graduate Medical Education, role in educating academicians (commentary), 260

Acetaminophen, poisoning outcome by type of ingestion, 1115 prediction of toxicity (commentary), 1079

ACGME, role in educating academicians (commentary), 260

Acid-base status, effect on ECGs in hypothermia, 1121

Acidosis, metabolic, in restraint-associated cardiac arrest, 239; (letters), 1075; 1076; 1076

ACLS, ethics OSCE for, 302

ventricular tachycardia response to, 609

Acquaintance rape(s), flunitrazepam in (brief report), 966

Acronym(s), effect on MEDLINE searching, 292

ACTH, and adrenal dysfunction, 626

Activated charcoal, granulated, palatability of, 895

Active compression—decompression CPR, quality of life after,

Acuity of illness, and ED utilization trends, 1030

and patient desire for autonomy, 781

Acute arterial occlusion (clinical pearls), 921

Acute cardiac ischemia, sestamibi imaging for, 998

Acute gastric volvulus, with paraesophageal hernia (brief report), 83

Abbreviations in the index: ACGME = Accreditation Council for Graduate Medical Education; AED = automated external defibrillator; AMI = acute myocardial infarction; CO_2 = carbon dioxide; CORD = Council of Emergency Medicine Residency Directors; CPR = cardiopulmonary resuscitation; CT = computed tomography; DCLHb = diaspirin cross-linked hemoglobin; ECG = electrocardiographic; EM = emergency medicine; EMS = emergency medical services; EMT = emergency medical technician; EP = emergency physician; ESR = erythrocyte sedimentation rate; ESWL = extracorporeal shock wave lithotripsy; FDA = Food and Drug Administration; GABHS = group A beta-hemolytic streptococcal; GI = gastrointestinal; ICU = intensive care unit; IM = intravenous; LP = lumbar puncture; IMCS = motor vehicle crash; IMSC = IMSCM N-acetylcysteine; IMSCM N-acetylc

Acute illness, see also Acuity of illness

and informed consent to research (commentaries), 772; 774 Acute ischemic stroke(s), EP treatment with rt-PA, 618

Acute myocardial infarction(s), consent for research in (commentary), 772

delays to care (commentary), 579

diabetics with, clinical characteristics of, 719 new right bundle branch block in (letter), 1180

Acute myocardial perfusion imaging, in cocaine-induced chest pain, 103; (erratum), 657

Acute quadriceps compartment syndrome (brief report), 860

Acute sudden headache(s), LP first in, 131

Addiction, nicotine, prevalence in ED patients, 807

Administration, of ethanol, oral vs IV, 984

of ketamine, IM, for pediatric sedation, 21

Admission(s), hospital, of public vs private patients, 736 Admission source(s), outpatient, and risk for appendiceal rupture (commentary), 579; 596

Adolescent(s), EMS transports for risky behaviors, 232 hematocolpometra manifesting as constipation (brief report), 752

Adrenal dysfunction, in hemodynamically unstable patients, 626

Adrenocorticotropic hormone, and adrenal dysfunction, 626 Advance directive(s), patients' reasons for not having, 1054

Advanced Cardiac Life Support, ethics OSCE for, 302 ventricular tachycardia response to, 609

Advanced Trauma Life Support, ethics OSCE for, 302 Adverse cardiac event(s), sestamibi imaging for, 998

Adverse cardiac eventus, sestamol imaging for, 998
Adverse drug reaction(s), in elders (commentary), 1189; 1232
serotonin syndrome caused by meperidine (brief report), 156

Adverse effect(s), see also Outcome(s)

of hunger in ED, 1109

of propofol (commentary), 975

of propofol in children, 989

in RSIs in EM residency, 31

Africa, tetraplegic care in Uganda (brief report), 660

Age, and patient preference for autonomy, 781

Aged, see Elder(s)

Aggression, as stimulation-seeking behavior (letter), 863 AIDS, see HIV

Air bag(s), fatal injuries from, 708

Air medical transport(s), map for decision making, 1127

Airway management, novel cricothyrotomy device (brief report), 1172

precise use of terminology in (commentary), 1 research in (letters), 866; 867

RSI adverse events in EM residency, 31

Airway obstruction, glottal area patency in cortical seizures, 682 upper, heliox use in (brief report), 953

Alcohol, see also Ethanol

data on injuries related to (letters), 666; 667 effect on mild head injury outcomes, 1088

Alcohol abuse, pediatric EMS transports for, 232 training in EM residencies (brief report), 964

Alcohol use, in acetaminophen poisoning, 1115 effect on ECG in hypothermia, 1121

Algorithm(s) AFD comparison of 621

Algorithm(s), AED, comparison of, 631 Ambulance(s), see also Transport(s)

vs helicopters, map for decision making, 1127

misuse of, defining (commentary), 5

misuse of, provider vs patient perspectives, 14 misuse of, rethinking of (commentary), 2

pediatric use for risky behaviors, 232

Ambulatory care, asthma observation unit, patient satisfaction with, 178

linking patients to primary care, 817; 823 of nonvariceal upper GI hemorrhage, 196

Aminotransferase(s), for predicting hepatotoxicity (commentary), 1079

Analgesia, ketorolac IV for migraines (letters), 668; 669

meperidine as cause of serotonin syndrome (brief report), 156

in nasogastric intubation (commentary), 166; 184

Analysis(es), data, in male domestic violence study (letters), 670; 671

survival, use of, 244

ANAM, of elders with minor trauma (brief report), 758 Anesthetic(s), propofol safety in ED (commentary), 975 topical, prior to nasogastric intubation, 184

Aneurysm(s), aortic, abdominal, ruptured (brief report), 661 left ventricular (clinical pearls), 921

Animal model(s), use in research, 75

Ankle injury(ies), Ottawa ankle rules in children, 1005

Annual meeting(s), SAEM, abstracts, 369-548; (errata), 1019 SAEM, progress of (commentary), 365

Antibiotic(s), time to receipt of, in pneumonia, 1243

Antibiotic prophylaxis, against endocarditis, in injection drug users, 911

Anticoagulated patient(s), minor head trauma in, 121

Antidote(s), bioavailability of ethanol, 984 predicting need for NAC (commentary), 1079

Anti-Loxosceles Fab fragment(s), for dermonecrotic arachnid-

Aortic aneurysm(s), abdominal, ruptured (brief report), 661

Appendicitis, rupture risk and outpatient admission source (commentary), 579; 596

Applicant(s), attitudes toward EM residency web sites (brief report), 968

misguided questions of (commentary), 981

Applicant evaluation(s), standardized vs narrative letters of recommendation (letters), 768; 769; 1141

Appropriateness of care, ambulance transport alternatives (commentary), 5

ambulance transport misuse, rethinking of (commentary), 2 drug selection in elders, 1232

provider vs patient perspectives of ambulance misuse, 14

Arachnidism, dermonecrotic, anti-Loxosceles Fab fragments in, 1195

Arm(s), reduction of radial head subluxation, 715

Arrhythmia(s), biphasic transthoracic defibrillation, 880

Arterial embolism(s), acute (clinical pearls), 921

Arthritis, hip, ultrasonography-guided aspiration (brief report), 84

Arthrocentesis, hip, guided by ultrasonography (brief report), 84

Article(s), authorship responsibilities, 297

on triage systems, critical appraisal of, 1166

Utstein style use in (commentaries), 871; 875; 923

Article classification, in Academic Emergency Medicine (editor's note), 666

Artificial respiration, tactile assessment of lung compliance (brief report), 761

Asia, EMS in China, 150

Aspiration, hip, guided by ultrasonography (brief report), 84
Assault(s), domestic, reporting in ED vs clinic (brief report),
1292

against men, by women partners, 786

pediatric EMS transports for, 232

sexual, see Sexual assault(s)

Assessment(s), see also Performance assessment(s)

of elders' cognitive processing efficiency (brief report), 758 of sleep problems, 1134

tactile, of lung compliance (brief report), 761

Asthma observation unit(s), patient satisfaction with, 178 ATLS, ethics OSCE for, 302

Attending physician(s), patient understanding of roles, 339

Attitude(s), of applicants, toward EM residency web sites (brief report), 968

community, for waivers of informed consent, 1210

of EM residents, toward thrombolytics for stroke (brief report), 1174

family, toward procedures on recently deceased (brief report), 749

patient/family, toward practice of procedures on newly dead,

Audience(s), concert, medical problems of, 202

Australasia, residency programs in, vs U.S., 324

Australia, EM residencies in (letter), 972

Authorship, responsibilities of, 297

Automated external defibrillator(s), algorithm comparison, 631 Automated Neuropsychological Assessment Metrics, of elders with minor trauma (brief report), 758

Automobile crash(es), see Motor vehicle crash(es)

Autonomy, see also Informed consent

patient, illness acuity and preference for, 781

residency applicants' question about (commentary), 981

Backboard(s), for CPR on soft bed (brief report), 754

Bag-valve ventilation, tactile assessment of lung compliance (brief report), 761

Band(s), constricting, removal using Dremel drill (letter), 1182Barton, C. W., Management of Office Emergencies (book review), 1184

BB(s), foreign-body, markers mistaken for (brief report), 250 Bed(s), mechanics of CPR on (brief report), 754

Bedside ultrasonography, in abdominal aortic aneurysm (brief report), 661

as guide for hip arthrocentesis (brief report), 84 revolution in EM (letter), 766

Beers criteria, for elder drug selection, 1232

Behavior, practice guidelines to change (commentary), 1189 stimulation-seeking, violence as (letter), 863

Benefit(s), of EM faculty, 1261

Benzocaine, before nasogastric intubation, 184

Benzodiazepine(s), bullous eruptions from temazepam overdose (brief report), 1071

Bernstein, E., Bernstein, J. (eds), Case Studies in Emergency Medicine and the Health of the Public (book review), 89

Beta-hemolytic streptococcal pharyngitis, predictive model for children, 8

Beta—human chorionic gonadotropin, in ectopic pregnancy prediction, 602

Bias(es), in male domestic violence study (letters), 670; 671 in research. 67

Bioavailability(ies), of ethanol, oral vs IV, 984

Biochemical marker(s), of hepatotoxicity (commentary), 1079 Bioethics, see Ethics

Biomedical research, see Research

Biomotor, historical CPR device (letters), 88; 88

Biphasic transthoracic defibrillation, in prolonged VF, 880

Bite(s), spider, anti-Loxosceles Fab fragments in, 1195 Bleeding, see Hemorrhage(s)

Blood, hematocolpometra manifesting as constipation (brief report), 752

occupational exposures in EM residents, 1036

Blood glucose level(s), in elder trauma victims (brief report),

Blood lead level(s), with retained bullets/shrapnel, 208

Blood pressure(s), low, adrenal dysfunction in, 626

Blood testing, lead, in ED (brief report), 849

Blood transfusion(s), Jehovah's Witnesses' refusal of (letters), 159: 159

Blunt torso trauma, in children, and risk of intra-abdominal injury, 799 Board certification, in critical care, for EPs (brief report), 345 Body fluid(s), see Blood

Body temperature(s), see Temperature(s)

Book review(s), 89; 162; 672; 869; 973; 1184

Brain injury(ies), delayed presentation and need for CT (brief report), 957

mild, alcohol's effects on, 1088

Breathing, see Respiration

Brown recluse spider bite(s), anti-Loxosceles Fab fragments in,

Bullet(s), retained, plumbism from, 208

Bullous eruption(s), in temazepam overdose (brief report), 1071

Bundle branch block(s), right, new, in chest pain (letter), 1180

Burn(s), partial-thickness, octylcyanoacrylate for, 688

Butyleyanoacrylate, for pediatric facial lacerations, 171

Calcium, intracellular, in septic shock, 588

Capnography, historical references on (letters), 88; 88

Car crash(es), see Motor vehicle crash(es)

Carbon 13 nuclear magnetic resonance, in perfused VF, 581

Carbon dioxide monitoring, historical reference in paper (letters), 88; 88

Carbon monoxide poisoning, carboxyhemoglobin in (letters), 766; 767

Carboxyhemoglobin, toxicokinetics of (letters), 766; 767

Card(s), wallet, for procedures on newly dead, 110

Cardiac arrest(s), biphasic transthoracic defibrillation, 880 end-tidal CO₂ monitoring reference (letters), 88; 88

extracorporeal resuscitation survival, 700

out-of-hospital outcomes of ventricular tachycardias, 609 in pregnancy, cesarean section in (brief report), 1072

quality of life of survivors, 95

reperfusion failure in (commentary), 677

research in, Utstein guidelines in (commentaries), 871; 875; 923

from restraints, metabolic acidosis in, 239; (letters), 1075; 1076; 1076

Cardiac ischemia(s), see also Acute myocardial infarction(s) acute, sestamibi imaging for, 998

perfusion imaging in cocaine-induced chest pain, 103; (erratum), 657

Cardiac output, differentiating systolic vs diastolic heart failure, 693

Cardiac valve abnormality(ies), in injection drug users, 911

Cardiac work, substrate utilization in perfused VF, 581 Cardiography, impedance, see Impedance cardiography

Cardiology, see Electrocardiogram(s); Heart

Cardiopulmonary resuscitation(s), end-tidal CO₂ monitoring reference (letters), 88; 88

extracorporeal, survival after, 700

mechanics of soft bed (brief report), 754

quality of life after, 95

reperfusion failure in (commentary), 677

in two AED algorithms, 631

Career choice(s), of EM residents, environmental factors, 262

Case identification, see Screening

Categorization, see Classification

Cerebral infarction(s), see Stroke(s)

Certification, in critical care, for EPs (brief report), 345

Cervix(es), hematocolpometra manifesting as constipation (brief report), 752

Cesarean section(s), perimortem, of twins (brief report), 1072 CFA, use of, 54

Charcoal, superactivated, palatability of, 895

Chart review(s), for data collection (letters), 666; 667

Chest compression(s), see also Cardiopulmonary resuscitation(s)

on soft bed, mechanics of (brief report), 754

Chest pain, cocaine-induced, myocardial perfusion imaging of, 103; (erratum), 657

new right bundle branch block in (letter), 1180 sestamibi imaging for risk stratification, 998 very-low-risk, identification of (commentary), 979

Chewable multivitamin(s), iron toxicity of, 1104

Children, see Pediatrics

China, EMS in, 150

Chorionic villi, after dilatation and evacuation, 602 in ectopic pregnancy diagnosis, 1024

Cigarette smoking, prevalence in ED patients, 807

Citation retrieval, MEDLINE, abbreviations' effect on, 292 Classification, of articles in Academic Emergency Medicine (ed-

itor's note), 666 of EDs, standards for, 638

of EDs (commentaries), 577; 578

Clerkship(s), EMS observation in (brief report), 359

Clinical decision making, in EM, 947

Clinical decision rule(s), regarding triage, 1166

Clinical emergency department site(s), staffing by academic EDs. 334

Clinical ethical competence, evaluating in EM, 302

Clinical guideline(s), for outpatient care of nonvariceal upper GI hemorrhage, 196

Clinical pathway(s), for pneumonia, 1243

Clinical Pearls, left leg pain and ECG ST-segment elevation, 921

ulcers on fingers, 637

Clinical practice guideline(s), see Practice guideline(s)

Clinical prediction rule(s), validation and reporting of (letters), 665; 665

Clinical reasoning, in EM, 947

Clinical skill(s), see under Skill(s)

Clinical time, use by PGY-1 residents on specialty rotations, 939

Clinical trial(s), see also Research

choosing a study design, 67

exception to informed consent in, 1203

industry-sponsored, trends/controversies in, 833

Closed head injury(ies), delayed presentation and need for CT (brief report), 957

Cocaine, and restraint-associated cardiac arrest, 239

Cocaine-induced chest pain, myocardial perfusion imaging in, 103; (erratum), 657

Cochrane systematic review(s), 1255

Code of conduct, for academic EM, 45

Cognitive ability(ies), in informed consent (commentaries), 772: 774

Cognitive error(s), in EM, 947

Cognitive processing efficiency, rapid assessment in elders (brief report), 758

Coin(s), pediatric ingestion of, home observation for, 213

Collaboration, nurse-physician, and research utilization, 271

Collision(s), see Motor vehicle crash(es)

Comfort, in nasogastric intubation (commentary), 166; 184

Communication(s), phone vs face-to-face, for primary care links, 817

Community consultation, in Final Rule, 1275 for research with waiver of informed consent, 1210

Compartment syndrome, quadriceps, from minor trauma (brief report), 860

Competence, ethical, evaluating in EM, 302

procedural, issues in EM as specialty (commentary), 678 procedural, tracked by EM residencies, 728

Compliance, lung, tactile assessment reliability (brief report), 761

patient, with phone links to primary care, 817 Complication(s), see Adverse effect(s)

Computed tomography, in anticoagulated patients with minor head trauma, 121

in delayed presentation after head injury (brief report), 957 delays to, in stroke, 218

head, utilization in HIV patients, 1010

LP as alternative in lone acute sudden headache, 131

Computer(s), access in Illinois EDs, 1249

in future of academic EM, 137

web sites of residency programs (brief report), 968

Computerized assessment(s), of elders' cognitive processing efficiency (brief report), 758

Concentration(s), serum, see Serum concentration(s)

Concert(s), patient load at first-aid stations, 202

Conduct, code of, for academic EM, 45

Confirmatory factor analysis, use of, 54

Congestive heart failure, differentiating systolic vs diastolic, 693

Consensus statement, on "scholarly project" requirement, 1160 Consent, informed, see Informed consent

for procedures on recently deceased, 110; (brief report), 749 Consent process, in exception to informed consent, 1283

Consent to continue, in DCLHb trial, 1203

Constipation, as hematocolpometra manifestation (brief report), 752

Constricting band(s), removal using Dremel drill (letter), 1182 Consultation, community, for research with waiver of informed consent, 1210

malpractice, guidelines for EPs, 1066

Copass, M., Gonzales, L., Eisenberg, M. S., Soper, R. G., EMT Manual, Third Edition (book review), 162

CORD, see Council of Emergency Medicine Residency Directors

Corporate sponsor(s), of clinical trials, 833

Cortical seizure(s), glottal area patency in, 682

Cortisol, serum, and adrenal dysfunction, 626

Cosmesis, with cyanoacrylates for pediatric facial lacerations, 171

Cost(s), of ambulance misuse, rethinking of (commentary), 3 of animal research, 75

Cost control, in academic EM (commentary), 255

Council of Emergency Medicine Residency Directors, perspective on educating academicians (commentary), 258 standardized letter of recommendation (letters), 768; 769;

1141 Counseling, alcohol and substance abuse, in curriculum (brief report), 964

tuberculosis program in ED, 224

Countershock(s), see Defibrillator(s)

Course(s), in high-fidelity simulation team training, 312 in ultrasound, for EM (letter), 766

Cox proportional hazards model, use of, 244

Cranial injury(ies), in anticoagulated patients with minor head trauma, 121

Crash(es), see Motor vehicle crash(es)

Cricothyrotomy, novel device for (brief report), 1172

Crisis management principles, in simulation team training, 312

Critical appraisal, of triage system papers, 1166

Critical care, certification in, for EPs (brief report), 345 in ED (commentary), 675

Critical care/trauma resuscitation fellowship(s), 331

Critically ill children, presentation patterns of, 906 rectal-skin temperature difference in, 900

Critically ill patient(s), rapid care in ED (commentary), 675

Croup, heliox in (brief report), 953

Crowd(s), patient load at concert first-aid stations, 202

Cruz, J. (ed), Neurologic and Neurosurgery Emergencies, 1st Edition (book review), 672

 $\label{eq:curriculum} \textbf{Curriculum(a), alcohol and substance abuse in (brief report)}, \\ 964$

Curriculum(a) (cont.) Australasian vs U.S., 324 domestic violence training in (brief report), 855 for EM research fellowships, 1067 for EMS fellowships, 1069 for ethical competence, 302 in international EM, 145 international medicine experience in (letter), 765 priorities in research methodology, 280 research, in EM (brief report), 348 Cut(s), facial, pediatric, cyanoacrylates for, 171 Cyanoacrylate(s), for pediatric facial lacerations, 171

Data analysis(es), in male domestic violence study (letters), Data collection, accuracy of TESS vs rural hospitals (brief report), 851 in NHAMCS (letters), 666; 667

Data reporting, see Reporting

Database(s), abbreviations' effect on MEDLINE searches, 292 ED Internet access to, 1249 TESS, data accuracy of (brief report), 851

Date rape(s), flunitrazepam in (brief report), 966 Dead, newly, practice of procedures on, attitudes toward, 110; (brief report), 749

Death(s), see also Mortality from air bag injuries, 708

maternal, in twin cesarean section (brief report), 1072 in restraint-associated cardiac arrest, 239 sudden, see Cardiac arrest(s)

Deceased patient(s), practicing procedures on, 110; (brief report), 749

Decision(s), disposition, in poisonings, 887

Decision guideline(s), for head CT use in HIV patients, 1010

Decision making, see also Judgment

clinical, in EM, 947 critical appraisal of triage system papers, 1166

in helicopter vs ambulance transport, 1127 naturalistic, in simulation team training, 312 patient acuity and preference for autonomy, 781 DEET, encephalopathy from (brief report), 1295

Defibrillation, transthoracic, biphasic, in prolonged VF, 880 Defibrillator(s), automated external, algorithm comparison,

Delay(s), to AMI care (commentary), 579 to stroke care, 218

Delayed presentation, after head injury, need for CT (brief report), 957

Dermatology, octylcyanoacrylate for partial-thickness burns,

pyoderma gangrenosum (clinical pearls), 637

Dermonecrotic arachnidism, anti-Loxosceles Fab fragments for, 1195

Developing world, experience of EM residents in Peru (letter),

tetraplegic care in Uganda (brief report), 660 Device(s), for cricothyrotomy (brief report), 1172

Diabetic(s), with AMI, clinical characteristics of, 719

Diagnosis, of abdominal aortic aneurysm (brief report), 661

of acute gastric volvulus (brief report), 83

of ectopic pregnancy, 602; 1024

of GABHS pharyngitis, predictive model for, 8

of kidney rupture after ESWL (brief report), 664

in pregnancy, with echogenic material in endometrium, 116 of pyoderma gangrenosum (clinical pearls), 637

Diagnostic model(s), LP first in lone acute sudden headache. 131

Diagnostic test(s), likelihood ratios vs sensitivity/specificity (letters), 160; 161

Diagnostic uncertainty, in EM, 947

Diaspirin cross-linked hemoglobin trial, exception to informed consent in, 1203

process for exception to informed consent in, 1283

Diastolic heart failure, vs systolic, impedance cardiography in,

Dilatation and evacuation, chorionic villi after, 602

in ectopic pregnancy diagnosis, 1024

Director(s), of poison centers, EM faculty as (letter), 862

Disposition decision(s), in poisonings, 887

Dissociative state, ketamine dosing for pediatric procedures, 21

Distance(s), interhospital, and MVC mortality, 125 Doctor(s), see Emergency physician(s); Physician(s)

Domestic violence, among EMTs (brief report), 857 education in medical school (brief report), 855

against males, analysis of (letters), 670; 671 against males, in urban ED, 786

reporting in ED vs clinic (brief report), 1292

Dosage, of ethanol, oral vs IV, 984 of IM ketamine for pediatric sedation, 21

Drayer, J. A., The Cost-effective Use of Leeches and Other Musings of a Medical School Survivor (book review), 672

Dremel drill, for constricting band removal (letter), 1182

Dressing(s), for partial-thickness burns, 688

Drill(s), for constricting band removal (letter), 1182

Driver(s), air bag deaths of, 708

Driving, by EM residents, MVC risk in, 1050

Drowsiness, and EM resident MVC risk, 1050

Drug(s), flunitrazepam in date rapes (brief report), 966 inappropriate, in elders (commentary), 1189; 1232 out-of-hospital storage temperatures, 1098 patient noncompliance in hunger, 1109

Drug abuse, cardiac valve abnormalities in injection drug users, 911

pediatric EMS transports for, 232

Drug box(es), temperatures inside, 1098

Drug interaction(s), serotonin syndrome caused by meperidine (brief report), 156

Drug overdose(s), see Overdose(s)

Echogenic material, in endometrium, likelihood of intrauterine pregnancy, 116

Economics, see also Cost(s); Funding

of ambulance misuse, rethinking of (commentary), 2

of clinical EDs staffed by academic EDs, 334

in future of academic EM, 137

future of academic EM (commentary), 255

sports medicine in academic EM practice, 828

Ectopic pregnancy(ies), chorionic villi in diagnosis, 1024 clinical prediction rule for (letters), 665; 665 endometrial thickness as predictor of, 602

transvaginal ultrasonography diagnosis of, 116

Education, of academicians, ACGME role (commentary), 260 of academicians, CORD perspective (commentary), 258 of academicians (commentary), 253; (special issue), 253-364 in domestic violence, impact of (brief report), 855

EMS system goals, 46

experience in Peru (letter), 765

patient, in Medicaid managed care plan, 823

progress in EM (commentary), 365

research, pediatric EM fellows' perceptions about, 1061

SAEM goals in (commentary), 368

Educational intervention(s), in elder falls, effect of, 1216; 1224 Educational level(s), and patient preference for autonomy, 781 Efficacy, illusion of, in emergency therapies (commentary), 771 Egalitarianism, of ED (commentary), 1082

Elder(s), abdominal aortic aneurysm diagnosis (brief report),

drug selection for, appropriateness of, 1232 falls in, effect of practice guideline on care, 1216 falls in, effect of practice guideline on subsequent falls, 1224 falls in, guidelines for (commentary), 1189 rapid assessment of cognitive processing efficiency (brief report), 758

serum glucose levels in trauma (brief report), 1177 temazepam overdose with bullous eruptions (brief report),

Electrical countershock(s), see Defibrillator(s)
Electrocardiogram(s), in hypothermia, 1121
new right bundle branch block in chest pain (letter), 1180
ST-segment elevation and left leg pain (clinical pearls), 921
Electrolyte(s), effect on ECGs in hypothermia, 1121
osmol gaps in children, normal range, 27
Embolism(s), left femoral artery (clinical pearls), 921
Emergency, provider vs patient perspectives of definition, 14
Emergency care, factors related to nonurgent ED visits, 1147

categorization standards for, 638
Emergency department(s), as appendicitis admission source,

Emergency center(s), see also Emergency department(s)

asthma observation unit in, patient satisfaction with, 178 care in elder falls, effect of practice guideline, 1216; 1224 categorization of (commentaries), 577; 578 categorization standards for, 638 clinical, staffed by academic EDs, 334 for community consultation implementation, 1210 delayed presentation after head injury (brief report), 957 delays to stroke care, 218 domestic violence against men presenting to, 786

domestic violence against men presenting hunger in, prevalence and effects, 1109 hunger in (commentary), 1082 ICU care in (commentary), 675

ICU care in (commentary), 675 Internet access in, 1249

intimate partner violence reporting in (brief report), 1292 lead screening in (brief report), 849

length of stay in, see under Length(s) of stay linking patients to primary care, 817; 823

male sexual assault victims in, 792 nonurgent visits to, 1147

observation time of poisoned patients, 887

patients' reasons for not having advance directives, 1054 pediatric, vs fast track, 1153

pediatric nonurgent visits and insurance status, 744 pneumococcal vaccination in, 724

presentation times of critically ill children, 906

public vs private patients' health status, 736 scombroid poisoning management, 916

sleep problem assessment in, 1134

smoking prevalence in patients, 807 speeding use of ESR in (brief report), 658

surveillance data from (letters), 666; 667

TB counseling/screening program in, 224

TQM effectiveness in, 811 utilization of, trends in, 1030

Emergency medical services, AED algorithm comparison, 631 approriate use of (commentary), 5

in China, 150

domestic violence among EMTs (brief report), 857 fellowship guidelines, 1069

helicopter vs ambulance transport times, 1127

misuse of, rethinking of (commentary), 2 pediatric transports for risky behaviors, 232

planning, and hospital categorization (commentary), 578 provider vs patient perspectives of misuse, 14

refusal of, patient recall of risks (letters), 87; 87

research in, Utstein guidelines in (commentaries), 871; 875; 923

ridealongs in senior EM clerkship (brief report), 359 storage temperatures of drugs, 1098

in time to stroke care, 218

Emergency medical services provider(s), perspectives of ambulance misuse, 14

Emergency medical services system(s), goals for future, 46
Emergency medical technician(s), domestic violence among
(brief report), 857

Emergency medicine, see also Academic emergency medicine address to First European Congress on Emergency Medicine,

clinical decision making in, 947

code of conduct for, 45

critical care by (commentary), 675

defining as a specialty (commentary), 678

evaluating ethical competence in, 302

future of, 137

geriatric, practice guidelines in (commentary), 1189 high-fidelity simulation team training for, 312

"illusion of efficacy" of therapies (commentary), 771 international, fellowship in, 145

leadership in (commentaries), 1187; 1193

need for precise terminology in (commentary), 1

planning for future of (commentary), 91

progress of (commentary), 365

quality-related research in (commentary), 165

research fellowship guidelines, 1067

training priorities in research methodology, 280

ultrasound revolution in (letter), 766

Emergency medicine clerkship(s), EMS observation in (brief report), 359

Emergency medicine faculty, interobserver variability among, 38

as poison center directors (letter), 862

Emergency medicine fellow(s), pediatric, perceptions about research education, 1061

Emergency medicine research, see Research

Emergency medicine residency(ies), alcohol and substance abuse training in (brief report), 964

applicants' misguided questions (commentary), 981

in Australasia vs U.S., 324

in Australia (letter), 972

critical care preparation in (brief report), 345

faculty salary and benefits, 1261

internal testing in (brief report), 362

practice of procedures on newly dead, 110; (brief report), 749

procedural competency tracked by, 728 research curricula in EM (brief report), 348

research requirements in, 286 RSI adverse events in, 31

"scholarly project" requirement for, 1160

standardized letter of recommendation for application (letters), 768; 769; 1141

web sites of, applicants' attitudes toward (brief report), 968 Emergency medicine resident(s), attitudes on thrombolytics for

career choice of, environmental factors, 262

evaluating ethical competence of, 302

experience in Peru (letter), 765

stroke (brief report), 1174

occupational exposure to blood in, 1036 occupational exposure to TB in, 1044

patient understanding of roles, 339

performance assessments of, interobserver variability in, 38 PGY-1, clinical time use on specialty rotations, 939

procedural competency experience of, 728

research experience and attitudes of (brief report), 351

research experiences of (brief report), 356

risk of MVCs in, 1050

Emergency medicine rotation(s), PGY-1 residents clinical time use on, 939

Emergency physician(s), see also Emergency medicine resident(s)

acute stroke treatment with rt-PA, 618 confronting hunger in ED (commentary), 1082

critical care certification for (brief report), 345

future of, 137

gallbladder ultrasonography by, 1020

guidelines for malpractice consultation, 1066

leadership among (commentaries), 1187; 1193

perceptions of training priorities, 280

as poison center directors (letter), 862

tools available for research (commentary), 91

trauma resuscitation/critical care fellowship for, 331

Emergency Team Coordination Course, 312 Encephalopathy, from DEET insect repellent (brief report), 1295

Endocarditis, prophylaxis in injection drug users, 911

Endometrial stripe(s), thickness as predictor of ectopic pregnancy, 602

Endometrium, echogenic material in, likelihood of intrauterine pregnancy, 116

empty, and chorionic villi detection, 1024

Endotracheal intubation(s), need for precise terminology in (commentary), 1

novel cricothyrotomy device (brief report), 1172

ventilation and tactile assessment of lung compliance (brief report), 761

End-tidal carbon dioxide monitoring, historical reference in paper (letters), 88; 88

Envenomation, spider, anti-Loxosceles Fab fragments in, 1195

Environmental factor(s), in EM resident career choice, 262

Epidemic(s), of scombroid poisoning, 916

Epidemiologic data, ED-based (letters), 666; 667

Epidemiology, blood exposures in EM residents, 1036

of pediatric EMS transports, 232

TB exposures in EM residents, 1044

Erythrocyte sedimentation rate(s), speeding the use of (brief report), 658

Esophagus(i), coin in, frequency of, 213

ESR, speeding the use of (brief report), 658

Essay question(s), for ethical competence, 302

Ethanol, see also Alcohol

bioavailability of, oral vs IV, 984

Ethical competence, evaluating in EM, 302

Ethics, see also Informed consent

of authorship, 297

code of conduct for academic emergency medicine, 45

guidelines for malpractice consultation, 1066

in industry-sponsored trials, 833

Jehovah's Witnesses' refusal of transfusion (letters), 159; 159 misconduct in research, 840; (erratum), 1019

practice of procedures on newly dead, 110; (brief report), 749 in resuscitation research (commentary), 771

European Congress on Emergency Medicine, keynote address to. 169

Evaluation(s), see Performance assessment(s)

Evaluative tool(s), for ethical competence in EM, 302

Evidence-based medicine, in appraising triage system papers, 1166

systematic review outline, 1255

Examination(s), in-service, ethics assessment on, 302 internal, in EM residency (brief report), 362

physical, in screening children for abdominal injury, 799

Exception to informed consent, community consultation for,

in DCLHb clinical trial, 1203

process for, 1283

Expense(s), see Cost(s)

Exposure(s), occupational, in EM residents, 1036; 1044

Extracorporeal perfusion, adequacy of (commentary), 677 Extracorporeal resuscitation, survival after cardiac arrest, 700

Extracorporeal shock wave lithotripsy, kidney rupture after (brief report), 664

Fab fragment(s), anti-Loxosceles, for necrotic lesions, 1195

Face-to-face interaction(s), for linking ED patients to primary care, 817

Facial laceration(s), pediatric, cyanoacrylates for, 171

Factor analysis, confirmatory, 54 Faculty, code of conduct for, 45

EM, as poison center directors (letter), 862

EM, salary and benefits of, 1261

interobserver variability among, 38

perceptions of research training priorities, 280

Faculty development, sabbaticals for (commentary), 877; 932

Fall(s), in elders, effect of practice guideline on care, 1216 in elders, effect of practice guideline on subsequent falls, 1224

in elders, guidelines for (commentary), 1189

Fallout rate(s), in paramedic on-scene times, 191

Family(ies), attitudes toward practice of procedures on newly dead, 110; (brief report), 749

health promotion intervention for, 823

Fast track(s), pediatric, resource utilization and outcomes in, 1153

Fatality(ies), see Death(s)

Fatigue, and EM resident MVC risk, 1050

FDA, see Food and Drug Administration

Fellow(s), pediatric EM, perceptions about research education, 1061

Fellowship(s), in critical care, for EPs (brief report), 345

effect on EM resident career choice, 262

in EM research, guidelines for, 1067

in EMS, guidelines for, 1069

in international EM, recommendations for, 145

trauma resuscitation/critical care, 331

Fever(s), rectal-skin temperature difference in, 900

Fibrillation, ventricular, perfusion and substrate utilization, 581

Final Rule, implementation of (commentary), 1188; 1272

for waiver of informed consent, 1272

Finger(s), ulcers on (clinical pearls), 637

Firearm(s), plumbism with retained bullets/shrapnel, 208

First European Congress on Emergency Medicine, keynote address to, 169

First-aid station(s), patient load at concerts, 202

First-postgraduate-year resident(s), clinical time use of, 939

Fish, scombroid poisoning epidemic, 916

Fluid percussion injury(ies), alcohol's effects on, 1088

Flumazenil, in temazepam overdose (brief report), 1071

Flunitrazepam, in date rapes (brief report), 966 Focused scanning, limitations of (letter), 766

Food and Drug Administration, community consultation regu-

lation of, 1210

Final Rule for waiver of informed consent, 1272 Final Rule implementation (commentary), 1188; 1272

informed consent regulations in DCLHb trial, 1203; 1283

Food insecurity, in ED, prevalence and effects, 1109

Food poisoning, management of scombroid epidemic, 916

Food stamp(s), reduction of, and hunger in ED, 1109

Foreign body(ies), bullets/shrapnel, plumbism with, 208

coin ingestion, home observation for, 213

radio-opaque markers mistaken for (brief report), 250 Fracture(s), ankle, in children, Ottawa ankle rules for, 1005

skull, delayed presentation and need for CT (brief report), 957

Fraud, research, 840; (erratum), 1019

Freed, H. A., Mayer, D., Platt, F. W., Case Studies in Emergency Medicine, 3rd edition (book review), 163

Functional assessment(s), of elders' cognitive processing efficiency (brief report), 758

of public vs private ED patients, 736

Functional hypoadrenalism, in hemodynamically unstable patients, 626

Funding, effect on EM resident career choice, 262 research, by industry, controversies in, 833

Furosemide abuse, and licorice intoxication (brief report), 960

Future, of academic EM, 137; (commentary), 255

EMS system goals, 46

SAEM goals and objectives (commentary), 367

GABHS pharyngitis, predictive model for children, 8 Gallbladder(s), ultrasonography by EPs, 1020

Gastric volvulus, with paraesophageal hernia (brief report), 83 Gastrointestinal hemorrhage(s), nonvariceal, outpatient care of, 196

Gatekeeping, effect on nonurgent pediatric ED visits, 744 Genitalia, removal of constricting band with drill (letter), 1182 Geographic information system(s), to determine means of trauma transport, 1127

Geriatrics, see also Elders

effect of practice guideline on care of falls, 1216 effect of practice guideline on subsequent falls, 1224 inappropriate drug selection, 1232 practice guidelines for falls (commentary), 1189

Global assessment rating scale(s), interobserver variability using 38

Glottal area patency, in experimental cortical seizures, 682 Glucocorticoid replacement, need for, and adrenal dysfunction,

Gluconeogenesis, hepatic, in septic shock, 588

Glucose level(s), in elder trauma victims (brief report), 1177 Glucose solution(s), for potassium replacement, harm from

(brief report), 960 Goal(s), see Planning

Granulated activated charcoal, palatability of, 895

Group A beta-hemolytic streptococcal pharyngitis, predictive model for children, 8

Guideline(s), see also Recommendation(s)

decision, for head CT use in HIV patients, 1010 for elder falls (commentary), 1189; 1216; 1224

for EM research fellowships, 1067

for EMS fellowships, 1069

for industry-sponsored trials, review of, 833

for malpractice consultation, 1066

Ottawa ankle rules in children, 1005

for outpatient care of nonvariceal upper GI hemorrhage, 196 Utstein, in EMS research (commentaries), 871; 875; 923

Gun(s), plumbism with retained bullets/shrapnel, 208

Hart, R. G., Rittenberry, T. J., Uehara, D. T., Handbook of Orthopaedic Emergencies (book review), 673

Head computed tomography, utilization in HIV patients, 1010 Head injury(ies), in anticoagulated patients, 121

delayed presentation and need for CT (brief report), 957 mild, alcohol's effects on, 1088

Headache(s), lone acute sudden, LP first in, 131 migraine, IV ketorolac for (letters), 668; 669

Healing, of partial-thickness burns, with octyl cyanoacrylate, $688\,$

Health care reform, EMS system goals in, 46

Health care worker(s), sleep problem assessment by, 1134

Health insurance status, effect on nonurgent pediatric ED visits, 744

and pediatric transports for risky behaviors, 232

Health maintenance organization(s), effect on nonurgent pediatric ED visits, 744

Health planning, see Planning

Health policy, nonurgent visits to ED, 1147

Health promotion, Medicaid managed care intervention, 823

Health status, of public vs private ED patients, 736

Health Utilities Index Mark 3, use of by EPs (commentary), 91; 95

Health-related quality of life, for cardiac arrest survivors, 95 Heart, see also Cardiac

hypothermia and ECG manifestations, 1121

Heart failure, impedance cardiography for differentiating systolic vs diastolic, 693

Heart valve abnormality(ies), in injection drug users, 911

Helicopter(s), vs ambulances, map for decision making, 1127

Heliox, in upper airway obstruction (brief report), 953

Helium-oxygen, in upper airway obstruction (brief report), 953 Hematocolpometra, manifesting as constipation (brief report),

Hematoma(s), in delayed presentation after head injury (brief report), 957

Hemodynamic instability, adrenal dysfunction in, 626

Hemorrhage(s), in delayed presentation after head injury (brief report), 957

nonvariceal upper GI, outpatient care of, 196 subarachnoid, LP first to diagnose, 131

Hemorrhagic shock, DCLHb trial of, informed consent in, 1203; 1283

Hepatic gluconeogenesis, in septic shock, 588

Hepatotxicity, in acetaminophen overdose (commentary), 1079

Hernia(s), paraesophageal, acute gastric volvulus with (brief report), 83

Heroin, cardiac valve abnormalities in users of, 911

High-fidelity simulation team training, for EM, 312

Hip arthrocentesis, guided by ultrasonography (brief report),

HIV, blood exposures in EM residents, 1036

head CT decision guideline, 1010

HIV prophylaxis, in male sexual assault, 792

Hobble restraint, cardiac arrest and metabolic acidosis (letters), 1075; 1076; 1076

Home observation, for pediatric coin ingestion, 213

Hospital(s), admission source and appendiceal rupture risk (commentary), 579; 596

categorization of (commentaries), 577; 578

distance between, and MVC mortality, 125

lengths of stay in, see Length(s) of stay

rural, data accuracy of, vs TESS database (brief report), 851 rural, tetraplegic care in Uganda (brief report), 660

Hospital admission, of public vs private ED patients, 736 Hospital bed(s), CPR mechanics on (brief report), 754

Hospitalization(s), in acetaminophen poisoning, 1115

effect of practice guideline for elder falls, 1224 Human immunodeficiency virus, see HIV

Humanism, see Ethics

Hunger, confronting in ED (commentary), 1082

in ED, prevalence and effects, 1109

Hymen, imperforate, hematocolpometra manifesting as constipation (brief report), 752

Hypertension, in diabetics with AMI, 719

Hyperthermia, rectal-skin temperature difference in, 900

Hypoadrenalism, in hemodynamically unstable patients, 626 Hypokalemia, with potassium replacement in glucose solution (brief report), 960

Hypotension, adrenal dysfunction in, 626

Hypothermia, ECGs in, 1121

Hypothesis construction, as training priority in academic EM, 280

Hypothesis generation, in airway research (letters), 866; 867 Hypothesis testing, p < 0.05 in (commentary), 1084

Iatrogenic harm, inappropriate drugs in elders (commentary), 1189; 1232

from potassium replacement in glucose solution (brief report), 960

ICU Nurse-Physician Questionnaire, 271

Illinois, ED Internet access in, 1249

Illness acuity, see Acuity of illness

"Illusion of efficacy," of emergency therapies (commentary), 771

Imaging, see also Ultrasonography

myocardial perfusion, in cocaine-induced chest pain, 103; (erratum), 657

sestamibi, for chest pain risk stratification (commentary), 989: 998

Immunization(s), pneumococcal, in ED, feasibility of, 724

Impedance cardiography, for differentiating systolic vs diastolic heart failure, 693

in ED (commentary), 675

Imperforate hymen, hematocolpometra manifesting as constipation (brief report), 752

Implementation, of FDA's Final Rule, 1272

of practice guidelines (commentary), 1189

Indicator label(s), for out-of-hospital drug temperatures, 1098 Induction(s), need for precise terminology in (commentary), 1 Industry-sponsored clinical trial(s), trends/controversies in, 833

Infant(s), air bag deaths of, 708

rectal-skin temperature difference in, 900

Infarction(s), cerebral, see Stroke(s)

myocardial, see Acute myocardial infarction(s)

Infection control, blood exposures in EM residents, 1036

TB exposures in EM residents, 1044 Infectious disease(s), blood exposures in EM residents, 1036

TB exposures in EM residents, 1044 Inflammation, dermonecrotic, anti-Loxosceles Fab fragments

in. 1195 Information retrieval, abbreviations' effect on MEDLINE

searches, 292 Information system(s), ED-based (letters), 666; 667

Informed consent, exception to, in DCLHb clinical trial, 1203 exception to, process for, 1283

Final Rule implementation (commentary), 1188; 1272

waiver of, community consultation for, 1210

waiver of, Final Rule for, 1272

waiver of, in acute illness (commentaries), 772; 774

waiver of, public perception of (commentary), 771 Infusion(s), propofol for procedural sedation, 989

propofol safety (commentary), 975

Ingestion(s), see also Toxic ingestion(s)

coin, pediatric, home observation for, 213

Injection drug user(s), cardiac valve abnormalities in, 911 Injury(ies), see also Trauma

alcohol-related, data on (letters), 666; 667

ankle, Ottawa ankle rules in children, 1005

brain, see Brain injury(ies)

fatal, from air bags, 708

head, see Head injury(ies)

intra-abdominal, risk assessment in pediatric blunt trauma,

intracranial, in anticoagulated patients with minor head trauma, 121

minor, rapid cognitive assessment of elders (brief report),

sleep problems associated with, 1134

sports medicine in academic EM practice, 828

Injury severity(ies), and serum glucose, in elders (brief report),

Insect repellent, encephalopathy from DEET (brief report),

In-service examination(s), ethics assessment on, 302

Institutional review board(s), in waivers of informed consent (commentary), 774

Instructor(s), see Faculty

Insurance status, effect on nonurgent pediatric ED visits, 744 and pediatric transports for risky behaviors, 232

Intensive care unit care, in the ED (commentary), 675

Intensive care unit fellowship(s), for EPs (brief report), 345

Interdisciplinary collaboration, research utilization and, 271

Intern(s), patient understanding of roles, 339

Internal medicine rotation(s), PGY-1 residents' clinical time use on, 939

Internal testing, in EM residency (brief report), 362

International emergency medicine, address to First European Congress on Emergency Medicine, 169

Australasian residency programs, 324

Australian EM residencies (letter), 972

Chinese EMS, 150

educational opportunity in Peru (letter), 765

fellowship in, recommendations for, 145

tetraplegic care in Uganda (brief report), 660

Internet, access in Illinois EDs, 1249

web sites of residency programs (brief report), 968

Interobserver variability, in faculty evaluations of residents, 38 Interpersonal violence, see Domestic violence

Interrater reliability, of clinical prediction rule (letters), 665;

Interval(s), see Time(s)

Intervention(s), educational, in elder falls, effect of, 1216; 1224

health promotion, in Medicaid managed care plan, 823 Interview(s), in ED, for community consultation, 1210

for intimate partner violence screening (brief report), 1292 sleep problem assessment in, 1134

Intimate partner violence, see also Domestic violence reporting in ED vs clinic (brief report), 1292

Intoxication, see Alcohol; Poisoning(s)

Intra-abdominal injury(ies), risk assessment in pediatric blunt trauma, 799

Intracellular calcium, in septic shock, 588

Intracranial injury(ies), in anticoagulated patients with minor head trauma, 121

Intracranial lesion(s), in HIV, head CT decision guideline, 1010 Intramuscular ketamine, dose for pediatric sedation, 21

Intraperitoneal ruptured abdominal aortic aneurysm (brief report), 661

Intrauterine pregnancy(ies), likelihood with echogenic material in endometrium, 116

Intravenous drug(s), ketorolac vs prochlorperazine in migraines (letters), 668; 669

Intubation(s), in ED, research in (letters), 866; 867

endotracheal, see Endotracheal intubation(s)

nasogastric, pain control in (commentary), 166

nasogastric, topical anesthetics/vasoconstrictors before, 184 novel cricothyrotomy device (brief report), 1172

rapid-sequence, see Rapid-sequence intubation(s)

Iron, toxicity of, in chewable vs tablet form, 1104

Ischemia(s), cardiac, see also Acute myocardial infarction(s) cardiac, acute, sestamibi imaging for, 998

perfusion imaging in cocaine-induced chest pain, 103; (erratum), 657

Ischemic stroke(s), acute, EP treatment with rt-PA, 618

Jehovah's Witness(es), refusal of blood transfusion (letters), 159; 159

Jewish patient(s), Orthodox, caring for, on Sabbath (letter), 865 Journal(s), authorship responsibilities, 297

used to swat spider (letter), 868

Utstein style use in articles (commentaries), 871; 875; 924 Journal section(s), in Academic Emergency Medicine (editor's note), 666

J-point elevation(s), in hypothermia, 1121

Judgment, see also Decision making

physician, of patient cognitive ability (commentaries), 772;

Kaplan-Meier product limit estimate, use of, 244 Ketamine, IM, dose for pediatric sedation, 21 for sedation of mentally challenged patients (letter), 86

Ketorolac, IV, for migraines (letters), 668; 669

Keynote address, to First European Congress on Emergency Medicine, 169

Kidney(s), rupture, after ESWL (brief report), 664

Kidneys, ureters, and bladder, likelihood ratio of radiography (letters), 160; 161

Label(s), indicator, for out-of-hospital drug temperatures, 1098 Laboratory analysis, in screening children for intra-abdominal injury, 799

Laboratory animal(s), use in research, 75

Laceration(s), facial, pediatric, cyanoacrylates for, 171

Lactate, in septic shock, 588

Lactic acidosis, in restraint-associated cardiac arrest, 239 Larynx, glottal area patency in cortical seizures, 682 Law, see Medicolegal

Law enforcement, restraint use by, metabolic acidosis in, 239 Lay public, see Public

Lead level(s), blood, with retained bullets/shrapnel, 208

Lead screening, in ED (brief report), 849

Leadership, in academic EM (commentaries), 1187; 1193

Leg pain, and ECG ST-segment elevation (clinical pearls), 921 Length(s) of stay, ED, with ultrasonography by EPs, 1020 with pneumonia clinical pathway, 1232

Letter(s) of recommendation, standardized, 1141 standardized vs narrative (letters), 768; 769

Level 1 emergency center(s), categorization standards for, 638 standards for (commentaries), 577; 578

Licorice intoxication, potassium replacement in glucose solution (brief report), 960

Lidocaine, before nasogastric intubation, 184

Life table(s), use of, 244

Likelihood ratio(s), vs sensitivity/specificity (letters), 160; 161 Literature search(es), MEDLINE, abbreviations' effect on, 292 Lithotripsy, extracorporeal shock wave, kidney rupture after,

Liver(s), metabolic alterations in shock, 588 toxicity in acetaminophen overdose, 1079

Living will, for practice of procedures on newly dead, 110 Log-rank test, use of, 244

Lone acute sudden headache(s), LP first in, 131

Low-acuity care, see Nonurgent visit(s)

Low-income patient(s), hunger in ED (commentary), 1082; 1109

Low-risk chest pain, identification of (commentary), 979 sestamibi imaging for, 998

Loxosceles reclusa, journal used to swat (letter), 868

Loxosceles spider bite(s), anti-Loxosceles Fab fragments in, 1195

Lubricant(s), vs anesthetics/vasoconstrictors, before nasogastric intubation, 184

Lumbar puncture first, in lone acute sudden headache, 131 Lung compliance, tactile assessment reliability (brief report), Magnetic resonance, nuclear, in perfused VF, 581

Major trauma, paramedic on-scene times in, 191 Malpractice, consultation guidelines for EPs, 1066

and Jehovah's Witnesses' refusal of blood (letters), 159; 159 Managed care, Medicaid health promotion intervention, 823

Map(s), for determining means of trauma transport, 1127

Marker(s), biochemical, for hepatotoxicity (commentary), 1079 for chest pain risk (commentary), 989

radio-opaque, mistaken for foreign bodies (brief report), 250 Mask(s), respirator, use by EM residents, 1044

Mass gathering(s), patient load at concert first-aid stations,

Matched-pairs analysis, in male domestic violence study (letters), 670; 671

Mathematical model(s), of CPR mechanics on soft bed (brief report), 754

for LP first in lone acute sudden headache, 137 for MVC mortality and population density, 125

Mechanics, of CPR on soft bed (brief report), 754

Media review(s), 89; 162; 672; 869; 973; 1184

Medic(s), see Emergency medical technician(s); Paramedic(s)

Medicaid, health promotion intervention in, 823

Medical clearance, in poisonings, 887

Medical control, in EMS system planning, 46

and patient recall of risks in refusal of EMS (letters), 87; 87 in scombroid poisoning epidemic, 916

Medical director(s), of poison centers, EM faculty as (letter), 862

Medical journal(s), see Journal(s)

Medical necessity, of ambulance transport, provider vs patient perspectives, 14

of ambulance transports, defining (commentary), 5 of ambulance transports, rethinking of (commentary), 3

Medical Outcomes Study 12-Item Short Form Health Survey, of public vs private ED patients, 736

Medical photography (clinical pearls), 637; 921

Medical school(s), domestic violence education in (brief report),

Medical student(s), EMS ridealongs for (brief report), 359 Medication(s), see Drug(s)

Medicolegal, Jehovah's Witnesses' refusal of transfusion (letters), 159; 159

malpractice consultation guidelines for EPs, 1066 patients' reasons for not having advance directives, 1054

MEDLINE, abbreviations' effect on searches, 292 access in Illinois EDs, 1249

Men, domestic violence against (letters), 670; 671; 786 sexual assault victims' ED characteristics, 792

Menstrual product(s), hematocolpometra manifesting as constipation (brief report), 752

Mental health status, of public vs private ED patients, 736

Mentally challenged patient(s), ketamine sedation of (letter),

Meperidine, serotonin syndrome caused by (brief report), 156 MeSH heading(s), abbreviations' effect on searches, 292

Meta-analysis(es), outline for reporting of, 1255

Metabolic acidosis, in restraint-associated cardiac arrest, 239; 1076; 1076; (letters), 1075

Metabolic alteration(s), in septic shock, 588

Metabolism, substrate utilization in perfused VF, 581

Metallic foreign body(ies), radio-opaque markers mistaken for (brief report), 250

Midazolam, vs propofol, in children, 989

Migraine(s), ketorolac IV for (letters), 668; 669

Mild traumatic brain injury(ies), alcohol's effects on, 1088

Minor head trauma, in anticoagulated patients, 121

Minor trauma, quadriceps compartment syndrome from (brief report), 860

rapid cognitive assessment of elders (brief report), 758

Misconduct, in research, 840; (erratum), 1019

Mission statement, of SAEM (commentaries), 91; 365; 367

Misuse, ambulance, defining (commentary), 5

ambulance, provider vs patient perspectives, 14 ambulance, rethinking of (commentary), 2

of ED, see Nonurgent visit(s)

MMSE, of elders with minor trauma (brief report), 758

Model(s), animal, in research, 75

for deciding between helicopter and ambulance, 1127

LP first, in lone acute sudden headache, 131 mathematical, see Mathematical model(s)

newly dead for procedural training, 110

predictive, for GABHS pharyngitis in children, 8

statistical, for MVC mortality and population density, 125 statistical, parsimony in (commentary), 93

of violence, as stimulation-seeking behavior (letter), 863

Modified essay question(s), for ethical competence, 302 Modified Mini-Mental State Exam, of elders with minor

trauma (brief report), 758

Monitoring, end-tidal CO₂ reference (letters), 88; 88

noninvasive, of critically ill (commentary), 675

Monomorphic ventricular tachycardia(s), out-of-hospital outcomes of, 609

Moral(s), see Ethics

Morris water maze, performance in alcohol intoxication, 1088 Mortality, MVC, prediction of regional variations, 125

with pneumonia clinical pathway, 1243

in quality improvement program for on-scene times, 191

Motor vehicle crash(es), air bag deaths from, 708 predicting regional variations in mortality, 125

risk in EM residents, 1050 Multiple-victim incident, scombroid poisoning, 916

Multivariate Cox proportional hazards model, use of, 244

Multivariate predictive model(s), for GABHS pharyngitis in children, 8

Multivariate regression analysis, on clinical prediction rule (letters), 665; 665

Multivitamin(s), chewable, iron toxicity of, 1104

Music concert(s), patient load at first-aid stations, 202

Myocardial infarction(s), see also Acute myocardial infarction(s)

delays to care (commentary), 579

Myocardial ischemia(s), perfusion imaging in cocaine-induced chest pain, 103; (erratum), 657

sestamibi imaging for, 998

Myocardial perfusion imaging, in cocaine-induced chest pain, 103; (erratum), 657

Myocardial substrate utilization, in perfused VF, 581

NAC, see N-acetylcysteine

N-acetylcysteine, in acetaminophen poisoning, 1115 predicting need for (commentary), 1079

Narcotic(s), cardiac valve abnormalities in heroin users, 911 meperidine as cause of serotonin syndrome (brief report), 156

Narrative letter(s) of recommendation, vs standardized (letters), 768; 769

Nasogastric intubation(s), pain control in (commentary), 166 topical anesthetics/vasoconstrictors before, 184

National Emergency Airway Registry, as research tool (letters), 866; 867

National Hospital Ambulatory Medical Care Survey, nonurgent ED visit data, 1147

quality of data (letters), 666; 667

Naturalistic decision making, in simulation team training, 312

Near-crash(es), motor vehicle, in EM residents, 1050

Necessity, see Medical necessity

Necrotic skin lesion(s), anti-Loxosceles Fab fragments in, 1195

Needlestick(s), in EM residents, 1036

Needs assessment, in research methodology training, 280

Negligence, and Jehovah's Witnesses' refusal of blood (letters), 159: 159

Neuroimaging, of HIV patients, decision guideline for, 1010 Neuromuscular paralysis, with potassium replacement in glu-

cose solution (brief report), 960

Neuroprotective effect(s), of alcohol in mild head injury, 1088 Neurotoxicity, of DEET insect repellent (brief report), 1295

Newly dead, practice of procedures on, attitudes toward, 110; (brief report), 749

NHAMCS, nonurgent ED visit data, 1147 quality of data (letters), 666; 667

Nicotine addiction, prevalence in ED patients, 807

Night shift(s), and MVC risk in EM residents, 1050

9-1-1, appropriate use of, defining (commentary), 5 misuse of, rethinking of (commentary), 2

Nomenclature, need for precision in EM (commentary), 1

Nomogram(s), for acetaminophen toxicity (commentary), 1079 Noninvasive evaluation, of systolic vs diastolic heart failure, 693

Noninvasive monitoring, of critically ill (commentary), 675 Nonurgent visit(s), to ED, linking patients to primary care,

to ED, pediatric, insurance status and, 744

to ED, trends and factors in, 1147

pediatric fast track for, 1153

Nonvariceal upper gastrointestinal hemorrhage(s), outpatient care of, 196

Nosocomial harm, see Iatrogenic harm; Occupational expo-

Nuclear magnetic resonance, in perfused VF, 581

Nursemaid's elbow, pronation vs supination in, 715

Nurse-physician collaboration, and research utilization, 271

Objective structured clinical examination(s), for ethical competence, 302

Observation, home, for pediatric coin ingestion, 213

Observation time(s), of poisoned patients, 887

Observation unit(s), asthma, patient satisfaction with, 178

Obstetrics, see Pregnancy(ies)

Obstruction, upper airway, heliox use in (brief report), 953

Occupant protection system(s), fatal injuries from, 708

Occupational exposure(s), to blood, in EM residents, 1036

to TB, in EM residents, 1044

Occupational risk(s), of MVCs in EM residents, 1050

Octylcyanoacrylate, for partial-thickness burns, 688 for pediatric facial lacerations, 171

Odds ratio(s), in male domestic violence study (letters), 670; 671

On-line medical control, in EMS system planning, 46 and patient recall of risks in refusal of EMS (letters), 87; 87 in scombroid poisoning epidemic, 916

On-scene time(s), paramedic, in penetrating trauma, 191

Opioid(s), meperidine as cause of serotonin syndrome (brief report), 156

Oral ingestion(s), see also Toxic ingestion(s) coin, pediatric, home observation for, 213

Orthodox Jewish patient(s), caring for, on Sabbath (letter), 865

Orthopedics, sports medicine in academic EM practice, 828

Osborn wave(s), in hypothermia, 1121

Osmol gap(s), in children, normal range, 27

Ottawa ankle rules, in children, 1005

Outcome(s), of acetaminophen poisoning, 1115

alcohol's effects in mild head injury, 1088

of cardiac arrest survivors, 95

with cyanoacrylates for pediatric facial lacerations, 171

after extracorporeal resuscitation, 700 in home observation for coin ingestion, 213 with inappropriate drug selection in elders, 1232 in pediatric fast track, 1153 in refusal of EMS (letters), 87; 87 reporting with Utstein guidelines (commentaries), 871; 875; 923

of ventricular tachycardia out of hospital, 609
Out-of-hospital cardiac arrest(s), see Cardiac arrest(s)
Out-of-hospital care, see also Emergency medical services
domestic violence among EMTs (brief report), 857
in scombroid poisoning, 916
in senior EM clerkship (brief report), 359
storage temperatures of drugs, 1098
ventricular tachycardia outcomes of, 609

Out-of-hospital time(s), with ambulance vs helicopter, 1127 Outpatient admission source(s), and risk for appendiceal rupture (commentary), 579; 596

Outpatient management, of nonvariceal upper GI hemorrhage, 196

 $Overdose(s), ace tamin ophen, \ predicting \ toxicity \ (commentary), \\ 1079$

acetaminophen, type of ingestion of, 1115 observation times in, 887 of temazepam, bullous reuptions in (brief report), 1071 Oxygen-helium, see Heliox

p < 0.05 (commentary), 1084
Pain, see also Abdominal pain; Chest pain
left leg, and ECG ST-segment elevation (clinical pearls), 921
in reduction of radial head subluxation, 715
Pain control, see Analgesia
Palatability, of superactivated charcoal, 895
PALS, ethics OSCE for, 302

Paper(s), see Article(s)
Paraesophageal hernia(s), acute gastric volvulus with (brief

report), 83
Paralysis, neuromuscular, with potassium replacement in glucose solution (brief report), 960

Paramedic(s), domestic violence among (brief report), 857 on-scene times in penetrating trauma, 191

Parent(s), acceptance of home observation for coin ingestion, 213

Parsimony, and statistical models (commentary), 93 Partial-thickness burn(s), octylcyanoacrylate for, 688 Particulate filtration respirator mask(s), use by EM residents,

1044 Patient(s), attitudes toward practice of procedures on newly dead, 110; (brief report), 749

cognitive ability and informed consent (commentaries), 772; 774

combative, metabolic acidosis in restraint-associated cardiac arrest, 239

compliance with phone links to primary care, 817 diabetic, with AMI, clinical characteristics of, 719 mentally challenged, ketamine sedation of (letter), 86 newly dead, practice of procedures on, 110; (brief report), 749 perspectives of ambulance misuse, 14 preference for autonomy and information, 781 public vs private, health status of, 736 reasons for not having advance directives, 1054 recall of risks in refusal of EMS (letters), 87; 87 satisfaction with asthma observation unit, 178 standardized, interobserver variability using, 38

understanding of training levels, 339
Patient acuity, see Acuity of illness
Patient consent, see Informed consent

Patient education, Medicaid managed care intervention, 823

Patient load(s), at concert first-aid stations, 202 Patient outcome(s), see Outcome(s)

Patient safety, see Safety

Patient simulation, team training for EM, 312

P. tient transport(s), see Transport(s)

Pediatric Advanced Life Support, ethics OSCE for, 302

Pediatric emergency medicine fellow(s), perceptions about research education, 1061

Pediatrics, air bag deaths, 708

blunt torso trauma and risk of intra-abdominal injury, 799 carboxyhemoglobin toxicokinetics (letters), 766; 767

coin ingestion, home observation for, 213 cyanoacrylates for facial lacerations, 171

EMS transports for risky behaviors, 232 fast track for, resource utilization and outcomes, 1153

heliox in croup (brief report), 953

hematocolpometra manifesting as constipation (brief report), 752

iron toxicity in chewable multivitamins, 1104 ketamine dosing for procedural sedation, 21 lead screening in ED (brief report), 849 linking patients to primary care, 817; 823 nonurgent ED visits and insurance status, 744 osmol gap normal range, 27 Ottawa ankle rules' sensitivity, 1005 predictive model for GABHS pharyngitis, 8

presentation patterns in critical illness, 906 propofol safety in (commentary), 975 propofol vs midazolam for procedural sedation, 989 radial head subluxation reduction methods, 715

rectal-skin temperature difference in infants, 900 Peer-reviewed journal(s), authorship responsibilities, 297 Peitzman, A. B., *The Trauma Manual* (book review), 164 Pellet(s), shotgun, radio-opaque markers mistaken for (brief

ellet(s), shotgun, radio-opaque markers mistaken for (brief report), 250

Pelvic ultrasonography, echogenic material in endometrium, likelihood of intrauterine pregnancy, 116 indeterminate, and ectopic pregnancy, 1024

Penetrating trauma, paramedic on-scene times in, 191

Penetrating wound(s), markers mistaken for foreign bodies (brief report), 250

plumbism from bullets/shrapnel, 208

Penis, removal of constricting band with drill (letter), 1182 Performance assessment(s), of ethical competence, 302 interobserver variability in, 38

Performance-based criterion checklist(s), interobserver variability using, 38

Perfusion, extracorporeal, adequacy of (commentary), 677 liver, metabolic alterations in sepsis, 588 myocardial substrate utilization in VF, 581 venoarterial, survival after cardiac arrest, 700

Perfusion imaging, in cocaine-induced chest pain, 103; (erratum), 657

Perimortem cesarean section(s), of twins (brief report), 1072 Personal computer(s), access in Illinois EDs, 1249

Peru, experience of EM residents in (letter), 765

PGY-1 resident(s), clinical time use on specialty rotations, 939

Pharmacokinetics, of ethanol, oral vs IV, 984

Pharmacology, see Drug(s)

Pharyngitis, GABHS, predictive model for, 8

Phenylephrine, before nasogastric intubation, 184

Photograph(s), see under Reflections

Photography (clinical pearls), 637; 921

Physical examination(s), in screening children for intra-abdominal injury, 799

Physical health status, of public vs private ED patients, 736

Physical violence, domestic, see Domestic violence

as stimulation-seeking behavior (letter), 863

Physician(s), see also Emergency physician(s); Medical control; Primary care physician(s) Physician(s) (cont.)

attending, patient understanding of roles, 339 discussion about advance directives, 1054

in EMS system planning, 46

Physician(s)-in-training, patient acceptance of care from, 339 Physician—nurse collaboration, and research utilization, 271

Planning, of EMS systems, 46

for future of academic EM (commentary), 91; 137 SAEM goals and objectives (commentary), 367 study, as training priority in academic EM, 280

Plumbism, with retained bullets/shrapnel, 208

Pneumococcal vaccination, in ED, feasibility of, 724

Pneumonia, clinical pathway for, 1243

Poem(s)/essay(s), see Reflections

Poison control center(s), data accuracy of (brief report), 851 EM faculty as directors of (letter), 862 instructions for home observation in coin ingestion, 213

Poisoning(s), acetaminophen, type of ingestion of, 1115 carbon monoxide, carboxyhemoglobin in (letters), 766; 767 iron, with chewable vs tablet formulation, 1104

lead, screening in ED (brief report), 849

licorice, potassium replacement in glucose solution (brief report), 960

observation times in, 887

scombroid, management of epidemics, 916 superactivated charcoal palatability in, 895

Police, restraint use by, metabolic acidosis and, 239

Policy, nonurgent visits to ED, 1147

Polymorphic ventricular tachycardia(s), out-of-hospital outcomes of, 609

Poor, hunger in ED (commentary), 1082; 1109 hunger prevalence and effects, 1109

Population(s), and ED utilization trends, 1030

Population density(ies), and MVC mortality, 125

Positioning, restraint use and metabolic acidosis, 239

Postexposure prophylaxis, by EM residents, 1036

Postmortem cesarean section(s), of twins (brief report), 1072 Postmortem procedure(s), relatives' attitudes toward (brief

report), 749
Posttraumatic hemorrhage(s), in delayed presentation after head injury (brief report), 957

Potassium replacement, in glucose solutions, harm from (brief report), 960

Practice guideline(s), for elder falls, effect on ED care, 1216 for elder falls, effect on subsequent falls, 1224

for falls in elders (commentary), 1189

for head CT use in HIV, 1010

in nonvariceal upper GI hemorrhage, 196

Ottawa ankle rules in children, 1005

Prediction, of acetaminophen toxicity (commentary), 1079 of adverse cardiac events, sestamibi for, 998

of chest pain risk (commentary), 989

of ectopic pregnancy, using endometrial thickness, 602 of hospital admission of public vs private ED patients, 736

of intracranial lesions, in HIV, 1010 likelihood ratio vs sensitivity/specificity (letters), 160; 161

of regional variations in MVC mortality, 125 statistical models and parsimony (commentary), 93

Prediction rule(s), validation and reporting of (letters), 665; 665

Predictive model(s), for GABHS pharyngitis in children, 8 Predictor(s), of appendiceal rupture (commentary), 579; 596 of EM resident career choice, 262

of patient load at concert first-aid stations, 202

Preference(s), patient, for autonomy and information, 781

Pregnancy(ies), ectopic, chorionic villi in diagnosis, 1024 ectopic, clinical prediction rule for (letters), 665; 665 ectopic, endometrial thickness as predictor of, 602 intrauterine, likelihood with echogenic material in endometrium, 116 perimortem cesarean section of twins (brief report), 1072

Prehospital care, see Emergency medical services; Out-of-hospital care

Presentation, delayed, after head injury, need for CT (brief report), 957

Presentation pattern(s), of critically ill children, 906

Preserved adrenal function, 626

Prevalence(s), of ventricular tachycardia out of hospital, 609

Prevention, blood exposures in EM residents, 1036

pneumococcal immunization in ED, 724 TB exposures in EM residents, 1044

Primary care, sports medicine in academic EM practice, 828

 $\begin{array}{c} \text{Primary care physician(s), discussion about advance directives,} \\ 1054 \end{array}$

linking ED patients to, 817; 823

Private emergency department patient(s), health status of, 736 Private health insurance, and nonurgent pediatric ED visits, 744

Probability, p < 0.05 (commentary), 1084

Problem identification, as training priority in academic EM, 280

Procedural competency, issues in EM as specialty (commentary), 678

tracked by EM residencies, 728

Procedural sedation, propofol for, in children, 989 propofol safety for (commentary), 975

Procedural skill(s), practice on newly dead, attitudes toward, 110: (brief report), 749

Process of care, in elder falls, effect of practice guideline, 1216;

Prochlorperazine, vs ketorolac, for migraines (letters), 668; 669 Productivity, academic, in staffing clinical EDs by academic EDs, 334

research, in EM residencies (brief report), 348

of research directors, 286

research methodology training needs, 280

Professionalism, evaluating ethical competence, 302

Proficiency, see Competence

Prognosis, of chest pain, sestamibi imaging of, 998

Program director(s), pediatric EM, perceptions about research education, 1061

standardized letter of recommendation for (letters), 768; 769; 1141

Prolonged ventricular fibrillation, biphasic transthroacic defibrillation in, 880

Pronation, for reduction of radial head subluxation, 715

Prophylaxis, against endocarditis, in injection drug users, 911 postexposure, by EM residents, 1036

Propofol, for procedural sedation, safety of (commentary), 975 for procedural sedation in children, 989

Proportional hazards model, use of, 244

Proposal writing, as training priority in academic EM, 280

Prospective trial(s), choosing a study design, 67

Prostanoid, alterations in septic shock, 588

Public disclosure, in Final Rule, 1272

Public emergency department patient(s), health status of, 736 Public health, hunger in ED (commentary), 1082; 1109

intimate partner violence reporting (brief report), 1292

lead screening in ED (brief report), 849

Medicaid managed care intervention, 823

pneumococcal immunization in ED, 724

risk of MVCs in EM residents, 1050

risk of MVCs III EM residents, 1050

smoking prevalence in ED patients, 807

trends in nonurgent ED visits, 1147

tuberculosis counseling/screening in ED, 224 Public perception, of emergency therapies (commentary), 771

Purified protein derivative test(s), program in ED, 224

surveillance in EM residents, 1044 p-value(s) (commentary), 1084 Pyoderma gangrenosum, on fingers (clinical pearls), 637

QT interval(s), prolonged, and outcomes in ventricular tachycardia, 609

Quadriceps compartment syndrome, from minor trauma (brief report), 860

Quadriplegia, rural hospital care in Uganda (brief report), 660 Quality, of NHAMCS data (letters), 666; 667

Quality assurance, in refusal of EMS (letters), 87; 87

Quality control, of toxic exposure data collection (brief report), 851

Quality improvement, effectiveness of TQM in ED, 811

Quality improvement program(s), and paramedic on-scene times in penetrating trauma, 191

Quality of care, elder drug reactions (commentary), 1189; 1232 in elder falls (commentary), 1189; 1216; 1224

Quality of life, for cardiac arrest survivors, 95 and elder drug reactions, 1232

Quality-of-life scale(s), used in research by EPs (commentary),

Quality-related research, in EM (commentary), 165

Question(s), essay, for ethical competence, 302

of residency applicants (commentary), 981 Questionnaire(s), confirmatory factor analysis of, 54

Quinn, J. V., Tissue Adhesives in Wound Care (book review),

Radial head subluxation, pronation vs supination in, 715 Radiograph(s), markers mistaken for foreign bodies (brief report), 250

utilization with Ottawa ankle rules, 1005

Radioisotope(s), sestamibi imaging in chest pain (commentary), 989; 998

Radiology, ultrasound revolution in EM (letter), 766

Radionuclide imaging, in cocaine-induced chest pain, 103; (erratum), 657

Radio-opaque marker(s), mistaken for foreign bodies (brief report), 250

Ramsay Sedation Scale, 989

Rank, academic, and sabbaticals, 932

Rape(s), date, flunitrazepam in (brief report), 966

Rapid assessment(s), of elders' cognitive processing efficiency (brief report), 758

Rapid treatment, of acute stroke, by EPs, 618 of critically ill in ED (commentary), 675

of stroke, delays in, 218

Rapid-sequence intubation(s), at EM residency, adverse events in, 31

need for precise terminology (commentary), 1 research in (letters), 866; 867

Rating scale(s), interobserver variability using, 38

Recently deceased patient(s), practicing procedures on, 110; (brief report), 749

Recluse spider bite(s), anti-Loxosceles Fab fragments in, 1195 Recombinant tissue plasminogen activator, EP treatment of stroke with, 618

Recommendation, letters of (letters), 768; 769; 1141

Recommendation(s), for EMS system planning, 46

for international EM fellowship, 145

for statistical modeling (commentary), 93

Record(s), of toxic exposures, TESS vs rural hospitals (brief report), 854

Recovery time(s), with propofol for procedural sedation, 989 Rectal—skin temperature difference(s), in young infants, 900 Recursive partitioning, of clinical prediction rule (letters), 665;

Reduction(s), of radial head subluxation, methods for, 715

Re-epithelialization rate(s), with octylcyanoacrylate in burns,

Reference(s), historical, in end-tidal CO₂ monitoring (letters), 88; 88

Reflections, Circus at Sunset, 1171

The Cleaning Lady's Lament, 723

Could Someone Call Housekeeping? (photograph), 894

"Do You Really Think This Patient Needs to Be Admitted?" (photograph), 822

Emergency Medicine Gifts, 155

On Graduation, More than Your Day Will Change, 595

Hold Compressions (photograph), 1254

Needles, 997

Opening Exchanges, 53

The Patient's Best Interests, 238

Pediatric Intubation (photograph), 223

Prepared for Tornado Aftermath (photograph), 74

Secondary Survey (photograph), 1060

Tube Thoracostomy (photograph), 124

Uncle Charlie, 1223

untitled (photographs), 617; 791

Reflex recovery, alcohol's effects in mild head injury, 1088 Refusal of care, Jehovah's Witnesses' refusal of transfusion

(letters), 159; 159 patient recall of risks (letters), 87; 87

Regional variation(s), in MVC mortality, prediction of, 125

Regulation(s), community consultation for waiver of informed consent, 1210

exception to informed consent, process for, 1283

Final Rule implementation (commentary), 1188; 1272

implementing Final Rule for waiver of informed consent, 1272

informed consent, in DCLHb trial, 1203; 1283

in waivers of informed consent (commentaries), 772; 774

Rehabilitation, of tetraplegic in Uganda (brief report), 660

Reimbursement, see also Insurance status

from clinical EDs, use for academics, 334

Relative(s), attitudes toward procedures on recently deceased, 110; (brief report), 749

Reliability(ies), interrater, of clinical prediction rule (letters), 665; 665

of tactile assessment of lung compliance (brief report), 761 Religion, caring for Orthodox Jews on Sabbath (letter), 865

Jehovah's Witnesses' refusal of transfusion (letters), 159; 159 Renal, see also Kidney(s)

Renal calculus(i), likelihood ratio of tests for (letters), 160; 161

Reperfusion injury(ies), therapy for (commentary), 677

Reporting, of blood exposures in EM residents, 1036

data accuracy of TESS vs rural hospitals (brief report), 851 of intimate partner violence (brief report), 1292

Utstein style use in (commentaries), 871; 875; 923

Research, animal model use in, 75

choosing a study design, 67

code of conduct for, 45

community consultation for waiver of informed consent, 1210

confirmatory factor analysis use, 54

consent by acutely ill (commentaries), 772; 774

educating academicians (commentary), 253

education in, pediatric EM fellows' perceptions about, 1061 EM residents' and research directors' experiences (brief report), 356

EM residents' experience and attitudes (brief report), 351 EMS, Utstein guidelines in (commentaries), 871; 875; 923

EMS system goals, 46 exception to informed consent in, 1203; 1283

fellowship guidelines, 1067

Final Rule implementation (commentary), 1188; 1272

industry-sponsored, trends/controversies in, 833

Research (cont.)

in intubation in ED (letters), 866; 867

juggling with teaching responsibility (commentary), 254

misconduct in, 840; (erratum), 1019

need for precise terminology in (commentary), 1

progress in EM (commentary), 365

quality of NHAMCS data (1 tters), 666; 667

quality-related, in EM (commentary), 165

requirements in EM residencies, 286

residency programs in (brief report), 348

resource availability, resident career choice and, 262

in resuscitation, public perception of (commentary), 771

SAEM goals in (commentary), 368

"scholarly project" requirement for residents, 1160 statistical models and parsimony (commentary), 93

tools available to EPs in (commentary), 91

training priorities in, 280

Utstein style use in (commentaries), 871; 875; 923

Research director(s), characteristics of, 286

facilitation of resident research (brief report), 356

Research Directors' Interest Group, "scholarly project" requirement by, 1160

Research paper(s), see Article(s)

Research productivity, see under Productivity

Research utilization, and interdisciplinary collaboration, 271

Research Utilization questionnaire, 271

Residency(ies), see Emergency medicine residency(ies)

Residency applicant(s), see Applicant(s)

Residency review committee(s), role in educating academicians (commentary), 260

"scholarly project" interpretation by, 1160

Resident(s), see Emergency medicine resident(s)

Resident training, practice of procedures on newly dead, 110

Resource availability, effect on EM resident career choice, 262

Resource utilization, see under Utilization

in pediatric fast track, 1153

Respiration, artificial, tactile assessment of lung compliance (brief report), 761

glottal area patency in cortical seizures, 682

Respiratory failure, prevention with heliox (brief report), 953

Respiratory protection, in EM residents, 1044

Resting sestamibi imaging, for chest pain risk stratification,

Restraint(s), cardiac arrest and metabolic acidosis, 239; (letters), 1075; 1076; 1076

fatal injuries from air bags, 708

Resuscitation(s), see also Cardiopulmonary resuscitation(s); Defibrillation

competency in, tracked by EM residencies, 728

critical care certification for EPs (brief report), 345

extracorporeal, survival after, 700

reperfusion failure in (commentary), 677

research in, implementing Final Rule in, 1272

research in, public perception of (commentary), 771

trauma, and critical care fellowship, 331

Utstein style use in research (commentaries), 871; 875; 923 ventricular tachycardia response to, 609

Retrospective trial(s), choosing a study design, 67

Revenue enhancement, with sports medicine in academic EM practice, 828

Ridealong(s), EMS, in senior EM clerkship (brief report), 359 Right bundle branch block(s), new, in chest pain (letter), 1180

Risk(s), of blood exposures in EM residents, 1036

of MVCs, in EM residents, 1050

of refusal of EMS, patient recall of (letters), 87; 87

of TB exposures in EM residents, 1044

Risk assessment(s), of intra-abdominal injury in children, 799 sleep problems in trauma patients, 1134

Risk factor(s), in acetaminophen poisoning, 1115

for appendiceal rupture (commentary), 579; 596

Risk stratification, of chest pain (commentary), 979

Risk-taking behavior(s), pediatric EMS transports for, 232

Rock concert(s), patient load at first-aid stations, 202

Rohypnol, in date rapes (brief report), 966

rt-PA, EP treatment of acute stroke with, 618

Rule(s), Final, implementation of (commentary), 1188; 1272

Rumack-Matthew nomogram(s), for acetaminophen toxicity (commentary), 1079

Rupture(s), of abdominal aortic aneurysm (brief report), 661 appendiceal, and outpatient admission source (commentary), 579: 596

kidney, after ESWL (brief report), 664

Rural health, MVC mortality prediction, 125

tetraplegic care in Uganda (brief report), 660

Rural hospital(s), data accuracy of, vs TESS database (brief report), 851

Sabbath, caring for Orthodox Jews on (letter), 865

Sabbatical(s), and academic EM's status, 932 recommendations for (commentary), 877

Safety, air bag deaths, 708

of DEET insect repellent (brief report), 1295

high-fidelity simulation team training, 312

of home observation in coin ingestion, 213

of propofol (commentary), 975

Salary(ies), of EM faculty, 1261

Satisfaction, family, with pediatric fast tracks, 1153

patient, with asthma observation unit, 178

Scanning, see also Computed tomography; Ultrasonography

focused, limitations of (letter), 766 sestamibi, for chest pain risk stratification, 998

Scholarly activity, see Research

"Scholarly project" requirement, for EM residents, 1160

Schwartz, G. R., Hanke, B. K., Mayer, T. A., Principles and Practice of Emergency Medicine, Fourth Edition (book review), 973

Scientific misconduct, 840; (erratum), 1019

Scombroid poisoning(s), management of epidemics, 916

Screening, gallbladder ultrasonography by EPs, 1020

for intimate partner violence (brief report), 1292

for intra-abdominal injury in children, 799

lead, in ED (brief report), 849 tuberculosis program in ED, 224

Screening test(s), speeding the use of ESR (brief report), 658

Search(es), MEDLINE, abbreviations' effect on, 292

Sedation, of mentally challenged, ketamine for (letter), 86

pediatric, ketamine dosing for, 21

procedural, propofol for, in children, 989

procedural, propofol safety for (commentary), 975

Seizure(s), cortical, glottal area patency in, 682

Sensitivity(ies), likelihood ratios to replace (letters), 160; 161 of Ottawa ankle rules in children, 1005

Sepsis, metabolic alterations in, 588

Serious infectious illness(es), rectal-skin temperature difference and, 900

Serotonin syndrome, meperidine as cause of (brief report), 156

Serum concentration(s), of ethanol, oral vs IV, 984 of iron, with chewable vs tablet formulations, 1104

Serum glucose level(s), in elder trauma victims (brief report), 1177

Sestamibi imaging, for chest pain risk stratification (commentary), 989; 998

Severity(ies) of injury, and serum glucose, in elders (brief re-

Sexual assault(s), flunitrazepam in (brief report), 966 in males, ED characteristics of, 792

SF-12 Health Survey, of public vs private ED patients, 736

Shiftwork, and MVC risk in EM residents, 1050

Shingleton, B. J., Mead, M. D., New England Eye Center Handbook of Eye Emergencies (book review), 1184

Shock, and adrenal dysfunction, 626

hemorrhagic, DCLHb trial of, informed consent in, 1203; 1283

septic, metabolic alterations in, 588

Shock(s), see also Defibrillation

Shock wave lithotripsy, extracorporeal, kidney rupture after (brief report), 664

Shotgun pellet(s), radio-opaque markers mistaken for (brief report), 250

Shrapnel, retained, plumbism from, 208

Side effect(s), see Adverse effect(s)

Significance testing, p < 0.05 in (commentary), 1084

Silent ischemia, in diabetics, 719

Simulation team training, for EM, 312

6-Keto-prostaglandin $F_{\scriptscriptstyle 1\alpha},$ in sepsis, 588

Skill(s), clinical, evaluation of residents, 38

procedural, in defining EM as specialty (commentary), 678 procedural, practice on newly dead, attitudes toward, 110; (brief report), 749

ultrasound, EM need for (letter), 766

Skin, partial-thickness burns of, octylcyanoacrylate for, 688

Skin lesion(s), on fingers (clinical pearls), 637

in temazepam overdose (brief report), 1071

Skin necrosis, in arachnidism, 1195

Skin-rectal temperature difference(s), in young infants, 900Skull fracture(s), delayed presentation and need for CT (brief report), 957

Sleep deprivation, and EM resident MVC risk, 1050 Sleep problem(s), in trauma patients in ED, 1134

Smoking, prevalence in ED patients, 807

Social services, for hunger in ED (commentary), 1082

Society for Academic Emergency Medicine, annual meeting abstracts, 369-548; (errata), 1019

code of conduct, 45

ED categorization by (commentaries), 577; 578

ED categorization standards of, 638

ethical guidelines for malpractice consultation, 1066

faculty salary survey results, 1261

goals and objectives of (commentary), 367

guidelines for EM research fellowships, 1067

guidelines for EMS fellowships, 1069

guidelines for industry sponsorship, review of, 833

leadership among (commentary), 1193

mission statement of (commentary), 91

progress of (commentary), 365

"scholarly project" requirement by RDIG, 1160

Soft bed(s), CPR mechanics on (brief report), 754

Sonography, see Ultrasonography

Sore throat, GABHS, predictive model for, 8

Southern state(s), MVC mortality in, 125

Special issue(s), on educating academicians, 253-364

Specialty, of EM, defining (commentary), 678

Specialty rotation(s), PGY-1 residents' time use on, 939

Specificity(ies), likelihood ratios to replace (letters), 160; 161

Spectator(s), concert, medical problems of, 202

Spider(s), journal used to swat (letter), 868

Spider bite(s), anti-Loxosceles Fab fragments in, 1195

Spinal cord injury(ies), tetraplegic care in Uganda (brief report), 660

Sponsor(s), corporate, of clinical trials, 833

Sports medicine, in academic EM practice, 828

Spouse abuse, see Domestic violence

Staffing, of clinical EDs by academic EDs, 334

Standard(s), for ED categorization, 638

for emergency centers (commentaries), 577; 578

Standardized letter(s) of recommendation (letters), 768; 769; 1141

Standardized patient(s), interobserver variability using, 38 State-mandated lead screening, in ED (brief report), 849

Statistical model(s), for MVC mortality and population density, 125

parsimony in (commentary), 93

Statistics, confirmatory factor analysis use, 54

in male domestic violence study (letters), 670; 671

on nonurgent visits to ED, 1147

p < 0.05 (commentary), 1084 survival analysis overview, 244

Sternal displacement, in CPR on soft bed (brief report), 754

Stimulation-seeking behavior, violence as (letter), 863

Stomach(s), acute gastric volvulus (brief report), 83

Storage temperature(s), of out-of-hospital drugs, 1098 Streptococcal pharyngitis, group A beta-hemolytic, predictive model for, 8

Stridor, heliox in (brief report), 953

Stroke(s), acute, EP treatment with rt-PA, 618

delays in accessing care, 218

thrombolytics for, EM residents' attitudes (brief report), 1174

ST-segment elevation(s) (clinical pearls), 921

Student(s), EMS ridealongs for (brief report), 359

Study design(s), choosing, 67

Study planning, as training priority in academic EM, 280

Style, Utstein, see Utstein style

Subarachnoid hemorrhage(s), LP first to diagnose, 131

Subject(s), research, Final Rule to protect (commentary), 1188;

Subject search(es), MEDLINE, abbreviations' effect on, 292 Subluxation(s), radial head, pronation vs supination in, 715

Substance abuse, cardiac valve abnormalities in injection drug users, 911

furosemide, and licorice intoxication (brief report), 960 pediatric EMS transports for, 232

training in EM residencies (brief report), 964

Substrate utilization, myocardial, in perfused VF, 581

Suburban emergency department(s), smoking prevalence in patients, 807

Sudden death(s), biphasic transthoracic defibrillation, 880 in restraint-associated cardiac arrest, 239

Sudden headache(s), lone acute, LP first in, 131

Suicide(s), pediatric EMS transports for, 232

Superactivated charcoal, palatability of, 895

Supination, for reduction of radial head subluxation, 715

Surface(s), soft vs hard, CPR mechanics on (brief report), 754 Surgery rotation(s), PGY-1 residents' clinical time use on, 939 Surgical lubricant(s), vs anesthetics/vasoconstrictors, before

nasogastric intubation, 184 Surveillance, TESS data accuracy, vs rural hospitals (brief report), 851

Surveillance system(s), ED-based (letters), 666; 667

Survey(s), confirmatory factor analysis of, 54 Survival, of cardiac arrest, quality of life in, 95

after extracorporeal resuscitation, 700

Survival analysis, use of, 244

Systematic review(s), outline for reporting of, 1255

Systolic heart failure, vs diastolic, impedance cardiography in, 693

Tachycardia(s), ventricular, out-of-hospital outcomes of, 609Tactile assessment(s), of lung compliance, relaibility of (brief report), 761

Taste, of superactivated charcoal, 895

Teacher(s), see Faculty

Teaching, of academicians (commentary), 253

ethics knowledge in, 302

juggling with research responsibility (commentary), 254 Team training, simulation, for EM, 312

Teamwork, high-fidelity simulation training for, 312

Teenager(s), see Adolescent(s)

Telemedicine, in future of academic EM, 137

Telephone(s), for linking ED patients to primary care, 817

Temazepam, bullous eruptions from overdose (brief report), 1071

Temperature(s), effect on ECGs in hypothermia, 1121 of out-of-hospital drugs, 1098

rectal-skin difference in young infants, 900 Tenure, and sabbaticals, 932

Terminology, need for precision in EM (commentary), 1

TESS, data accuracy of (brief report), 851

Test(s), diagnostic, likelihood ratios vs sensitivity/specificity (letters), 160; 161

speeding the use of ESR (brief report), 658

Testing, see also Screening

internal, in EM residency (brief report), 362

Tetracaine, before nasogastric intubation, 184

Tetraplegia, rural hospital care in Uganda (brief report), 660

Text word search(es), MEDLINE, abbreviations' effect on, 292 Textbook(s), references to bundle branch block (letters), 1180

Therapeutic response(s), of ventricular tachycardia out of hospital, 609

Thermoregulation, rectal-skin temperature difference, 900

Third world, see Developing world

Throat culture(s), in prediction of GABHS pharyngitis, 8 Thrombolytic(s), EP rapid treatment of stroke, 618

with new right bundle branch block in chest pain (letter), 1180

for stroke, EM residents' attitudes (brief report), 1174

Thromboxane B2, in sepsis, 588

Thrombus(i), intracardiac (clinical pearls), 921

Thumb(s), ulcers on (clinical pearls), 637

Time(s), clinical, use by PGY-1 residents on specialty rotations,

delays to stroke care, 218

out-of-hospital, with ambulance vs helicopter, 1127 paramedic on-scene, in penetrating trauma, 191

survival analysis of, 244

to thrombolysis, with EP treatment of stroke, 618 Time interval(s), to AED, algorithm comparison, 631

reducing, for ESR (brief report), 658

Time management, in academic EM (commentary), 254

Time savings, with phone links to primary care, 817

Tissue adhesive(s), for partial-thickness burns, 688 in pediatric facial lacerations, 171

Tissue plasminogen activator, recombinant, EP treatment of stroke with, 618

for stroke, EM residents' attitudes on (brief report), 1175

Tool(s), for EPs in research (commentary), 91

evaluative, for ethical competence in EM, 302

Topical anesthetic(s), prior to nasogastric intubation, 184 Topical vasoconstrictor(s), prior to nasogastric intubation, 184

Torsades de pointes, out-of-hospital outcomes of, 609

Torso trauma, blunt, in children, and risk of intra-abdominal injury, 799

Total Quality Management, effectiveness in EDs, 811

Toxic Exposure Surveillance System, data accuracy of, vs rural hospitals (brief report), 851

Toxic ingestion(s), see also Poisoning(s)

of acetaminophen, 1115

observation times in, 887

superactivated charcoal palatability in, 895

Toxicity, of acetaminophen, prediction of (commentary), 1079 of DEET insect repellent (brief report), 1295

of iron, in chewable vs tablet form, 1104

plumbism with retained bullets/shrapnel, 208

Toxicology, of carboxyhemoglobin (letters), 766; 767 osmol gaps in children, normal range, 27 TQM, effectiveness in EDs, 811

Traffic accident(s), see Motor vehicle crash(es)

Training, of academicians (commentary), 253

in alcohol and substance abuse, in EM residencies (brief report), 964

critical care, for EPs (brief report), 345

practice of procedures on newly dead, 110

in research methodology, priorities in, 280

team, high-fidelity simulation, 312 in ultrasound, for EM (letter), 766

Training level(s), physician, patient understanding of roles, 339

Training program(s), see Emergency medicine residency(ies) in international EM, recommendations for, 145

Transfusion(s), Jehovah's Witnesses' refusal of (letters), 159;

Transient ischemic attack(s), delays in accessing care, 218

Transit time(s), see Length(s) of stay

Transport(s), ambulance, misuse of, defining (commentary), 5 ambulance, misuse of, rethinking of (commentary), 2 ambulance, provider vs patient perspectives of misuse, 14 pediatric, for risky behaviors, 232

refusal of, patient recall of risks (letters), 87; 87

trauma, determining appropriate means of, 1127

Transthoracic defibrillation, biphasic, in prolonged VF, 880 Transvaginal ultrasonography, echogenic material in endometrium, likelihood of intrauterine pregnancy, 116

indeterminate, and ectopic pregnancy, 1024

Trauma, see also Injury(ies)

blunt torso, in children, and risk of intra-abdominal injury,

at concert first-aid stations, 202

in elders, serum glocose levels in (brief report), 1177

head, delayed presentation and need for CT (breif report), 957

head, in anticoagulated patients, 121

minor, rapid cognitive assessment of elders (brief report),

minor, quadriceps compartment syndrome from (brief report), 860

penetrating, paramedic on-scene times in, 191

sleep problems associated with, 1134

Trauma center(s), determining appropriate transport to, 1127

Trauma resuscitation/critical care fellowship(s), 331

Traumatic brain injury(ies), mild, alcohol's effects on, 1088

Traumatic hemorrhagic shock, DCLHb trial of, informed consent in, 1203; 1283

Triage, of 9-1-1 calls, criteria for (commentary), 5 of 9-1-1 calls, rethinking of (commentary), 2 in scombroid poisoning epidemic, 916

Triage category(ies), and ED utilization trends, 1030

Triage system(s), critical appraisal of papers on, 1166

Trial(s), see also Research

industry-sponsored, trends/controversies in, 833

Tube(s), nasogastric, pain of (commentary), 166

Tuberculin test(s), in EM residents, 1044

Tuberculosis, counseling/screening program in ED, 224 exposure risk in EM residents, 1044

Twin birth(s), via perimortem cesarean section (brief report), 1072

Uganda, tetraplegic care in (brief report), 660

Ulcer(s), on fingers (clinical pearls), 637

Ultrasonography, bedside, in abdominal aortic aneurysm (brief report), 661

empty uterus on, and ectopic pregnancy prediction, 602 gallbladder, by EPs, 1020

as guide for hip arthrocentesis (brief report), 84

in hematocolpometra (brief report), 752

likelihood ratio for renal calculi (letters), 160; 161 residency applicants' question about (commentary), 981 revolution in EM (letter), 766

transvaginal, echogenic material in endometrium, likelihood of intrauterine pregnancy, 116

transvaginal, indeterminate, and ectopic pregnancy, 1024 Underinsured population(s), hunger among, 1109

Underserved population(s), pneumococcal immunization in ED, 724

Undeveloped country(ies), see Developing world Uninsured population(s), hunger among, 1109 Universal precautions, by EM residents, 1036; 1044 Unnecessary visit(s), see Nonurgent visit(s)

Upper airway obstruction, heliox use in (brief report), 953 Upper gastrointestinal hemorrhage(s), nonvariceal, outpatient care of, 196

Urban medicine, domestic violence against men (letters), 670; 671; 786

male sexual assaults, 792

pneumococcal immunization in ED, 724

Uterus(i), empty, endometrial thickness and ectopic pregnancy

hematocolpometra manifesting as constipation (brief report),

Utility(ies), likelihood ratios vs sensitivity/specificity (letters), 160: 161

Utility measure(s), used in research by EPs (commentary), 91 Utilization, ambulance, alternatives to (commentary), 5 ambulance, provider vs patient perspectives, 14

ambulance, rethinking of (commentary), 2 of ED, linking patients to primary care, 817; 823

of ED, pediatric, insurance status and, 744

of ED, trends in, 1030

head CT, in HIV patients, 1010

radiograph, with Ottawa ankle rules, 1005

in out-of-hospital cardiac arrest research, 923

research, and interdisciplinary collaboration, 271 resource, in lone acute sudden headache, 131

resource, in pediatric fast track, 1153 Utstein style, in EMS research (commentaries), 871; 875; 923

Vaccination(s), pneumococcal, in ED, 724 Vagina(s), hematocolpometra manifesting as constipation (brief report), 752

Vaginal bleeding, transvaginal ultrasonography in, 116 Validation, of clinical prediction rule (letters), 665; 665 Valve abnormality(ies), cardiac, in injection drug users, 911 Variability(ies), interobserver, in faculty evaluations of resi-

Vasoconstrictor(s), topical, prior to nasogastric intubation, 184 Vasopressor therapy, need for, and adrenal dysfunction, 626 Vehicle collision(s), see Motor vehicle crash(es)

Venoarterial perfusion, survival after cardiac arrest, 700 Venom, spider, anti-Loxosceles Fab fragments in, 1195

Ventilation, with bag-valve, tactile assessment of lung compliance (brief report), 761

Ventricular fibrillation, biphasic transthoracic defibrillation in,

perfusion and substrate utilization, 581 Ventricular tachycardia, out-of-hospital outcomes of, 609

Very-low-risk chest pain, identification of (commentary), 979 Violence, see also Assault(s); Domestic violence

physical, as stimulation-seeking behavior (letter), 863 Vision statement, of SAEM (commentary), 367

Volvulus, gastric, with paraesophageal hernia (brief report), 83

Waiver(s) of informed consent, see under Informed consent Wallet card(s), for practice of procedures on newly dead, 110 Warfarin, minor head trauma in patients taking, 121 Waveform(s), biphasic, in transthroacic defibrillation, 880 Web site(s), of residencies, applicants' attitudes toward (brief report), 968

Welfare, reduction of, and hunger in ED, 1109

Westergren method, of ESR, speeding the use of (brief report),

Whistle-blower(s), in research misconduct, 840; (erratum), 1019

Work schedule(s), and EM resident MVC risk, 1050

Working condition(s), for EM residency faculty, 1261 World Wide Web, access in Illinois EDs, 1249

Wound(s), penetrating, markers mistaken for foreign bodies (brief report), 250

penetrating, plumbism from bullets/shrapnel, 208

Wound closure, with octylcyanoacrylates, in pediatric facial lacerations, 171

Wound healing, with octylcyanoacrylate for burns, 688

X-ray(s), see Radiograph(s)

AUTHORS*

Adams JG, 137; 1082 Albrecht GL, 178 Alden AW, 749 Allegra JR, 1098 Allen TL, 880 Alo K, 191 Alpert S, 1188 Alter HJ, 736 Anderson AC, 27 Angelos MG, 581; 677 Anicetti JP, 1210 Arnold GK, 351 Asimos AW, 1036; 1044 Attia M, 8 Auble TE, 579

Babbs CF, 754 Bailey DJ, 74 Bair AE, 1172 Ball R, 162 Baraff LJ, 1216; 1224 Baren JM, 1210 Barish RA, 331 Barrett J. 1283 Bartlett RH. 700 Barton ED, 866 Beauchamp NJ Jr. 1010 Becher J, 38 Beckley PD, 581 Behling C, 1104 Benenson R, 1243 Benson N, 1030 Beran MS, 1109 Bergman TA, 1088 Berkowitz CD, 900 Bernard SA, 103 Bernstein E, 932 Bernstein J, 932 Berrutti L. 688 Berty C, 602 Beuhler MC, 588 Biehler JL, 1061 Billittier AJ IV, 1127 Binder LS, 769 Binns HJ, 1153 Biros MH, 253; 271; 666; 840; 953; 1067; 1088; 1109; 1187; 1210; 1272 Blaivas M, 1020 Blake HC, 626 Blanda M, 286; 1160 Blanton D, 857 Boe JM, 754 Bond GR, 862; 1115

Bose S, 1249

Boyd D, 578 Bozeman WP, 331 Brabson TA, 923 Brady WJ, 609 Braun R, 736 Brennan J. 1098 Brock S, 1182 Brogan GX Jr, 719; 849 Brokaw J, 1292 Brown LH, 761 Broxterman KJ, 232 Bryant FB, 54 Buckley RG, 596; 665 Bui LD, 103 Bulloch B. 1005 Burkhart K, 75 Burstein JL, 87

Camargo CA Jr, 833 Capobianco L, 121 Caraccio T, 213; 849 Carleton SC, 1147 Carter C, 631 Carter WA, 1036; 1044 Casaletto J, 1177 Cavanaugh S, 1243 Celi C. 348: 356 Cha S, 1153 Chan TC, 1075 Chande VT, 823 Chanmugam A, 224; 667 Chapman DM, 678; 855 Chapman RA, 700 Chiang WK, 1036; 1044 Chin MH, 1232 Chisholm C, 1141 Chudnofsky CR, 618 Cipolle M. 1203 Clark DE, 125 Clark RF, 1075; 1104 Clarke E, 124; 223; 617; 791; 822; 1060 Clarke P, 894; 1254 Clausen J, 1075 Clem KJ, 145; 150 Clinton JE, 260 Cobaugh DJ, 213; 984 Cody R, 807 Cone DC, 46; 91; 923 Conn A, 312 Conners GP, 213 Cordell WH, 137; 166 Corsi FM, 960 Crandall CS, 1292 Crenshaw BJ, 776 Croskerry P, 947

Crough D, 1054

Cummins RO, 871 Cushing BM, 125 Cydulka RK, 38; 334 Czaplijski T, 1030

Danyluk T, 1010 Dart L, 116; 602; 1024 Dart RG, 116; 602; 1024 Datner E, 786 Davidson SJ, 46 Davis MA, 781 De Lorenzo RA, 46 DeBehnke DJ, 609 DelaCruz P, 916 Delaney KA, 1121 Delaney NM, 271 Della Penna R, 1216; 1224 Dereczyk B, 626 Dersch SA, 855 Dey C, 811 Di Carli M, 998 Dinowitz S, 807 Distefan J, 596 Domeier RM, 46 Donovan JW, 1079 Downs W, 202 Dronen SC, 1; 262; 867 Dunlap H, 1005 Dunn K, 286 Durham SB, 880 Dvorak D, 997; 1171 Dyne PL, 1141

Eckstein M, 191; 916 Emerman CL, 334 Eppes S, 8 Ernst AA, 857; 1177 Eskin B, 807 Eskra BD, 351

Fairweather PG, 362
Famularo G, 960
Farrell SE, 208
Federiuk CS, 89; 292
Feied CF, 1249
Feinberg R, 213
Feldman JA, 103
Fernandes CMB, 165
Ferrall SJ, 14
Filley MJ, 921
Fischer TFX, 895
Fish SS, 103; 840; 1160; 1272
Fong C, 744

Fong C, 744 Fost N, 772 Frederiksen SM, 618 Friedmann PD, 1232 Fullerton L, 232; 1292

Gaasch WR, 331

Gaeta TJ, 297 Gallagher EJ, 1084; 1255 Galli RL, 693 Garra G, 121 Garrett W. 21 Gee G, 911 Gens D, 1203 Gerson LW, 286 Ghidorzi AJ, 811 Giacanelli M, 960 Gibbs M, 984 Giffin S, 851 Gifford DR, 758 Gillam M, 1249 Goldberg R, 1134 Goldfrank LR, 638; 1036; 1121; 1193 Goldsmith L.J. 715 Gomez HF, 1195 Gonzalez del Rey JA, 817 Gonzalez-Sanchez JA, 1072 Gorton RA, 218 Gough JE, 761 Grabowski JG, 811 Graff L, 38; 137 Grange JT, 202 Grant RJ, 618 Greaves P, 939 Green G, 145 Green SM, 21; 86; 202; 975 Greenberg B, 1061 Grimes P, 661 Grover G, 900 Gubler KD, 596 Gutglass DJ, 1153

Haase CE, 855
Halamka J, 137
Hall KN, 67
Halstead J, 1134
Hampers LC, 1153; 1295
Handler JA, 1249
Hanley ML, 752
Hansen HE, 271
Hardern RD, 1166
Harper RJ, 939; 1184
Harris R, 998
Harrow C, 658
Harwood RA, 1020
Havel CJ Jr, 989
Hayden SR, 728

^{*}Boldface page numbers indicate first-listed authors.

Hayley DC, 1232 Hebert P, 95 Hedges JR, 877; 939 Heegaard WG, 672 Heller M. 1174 Hemphill RR, 339; 957 Henderson RA, 761 Henderson SO, 161 Hendey GW, 968; 1141 Henneman PL, 638 Hennes H, 989 Henry M. 588 Hestdalen R, 86 Hexter DA, 224 Hick JL, 239; 869; 1076 Hinn AR, 218 Hirschl RB, 700 Hite LK, 1115 Ho M, 86 Hoffman JR, 781 Hoffman RS, 1121 Hogan TM, 362 Hollander JE, 887; 979 Holliman CJ, 145 Holmes JF, 799 Homan CS, 588; 849 Hopkins GA, 21 Hornig S, 786 Houghton J, 1203 Hoyt BT, 851 Hsu J, 781 Hummel CB, 21

Isenhour JL, 752 Iserson KV, 137

James T, 932 Janchar T, 359 Jarmuske M, 171 Jaslow DS, 923 Jay GD, 766 Jelinek GA, 324 Jenouri I, 758 Jin L, 1232 Johnson S, 887 Jolly BT, 708 Jones JB, 160 Jones TR, 250 Jouriles NJ, 334; 1141; 1223

Kader S, 1216; 1224 Kallis JM, 817 Karcioglu O, 664 Karrison TG, 1232 Kaufman JS, 1044 Keim SM, 768; 1141 Kelen GD, 224; 667; 1010 Kersey MA, 1109 Keyl PM, 224; 667; 1010 Kim HM, 262 Kimes D, 823 Kimura H, 196 King RW, 1141 King SKC, 972 Kirsch TD, 145; 224 Kitlas JL, 724 Klasner AE, 767 Klassen TP, 171; 1005 Klein J, 8 Kleinschmidt K. 38 Kleinschmidt PE, 957 Kline JA, 75 Koenigsberg M, 1203 Koetter KP, 88 Kolb JC, 693 Konia N, 184 Kosnik JW. 998 Kothari RU, 67 Kovacs G. 947 Kozlowski J, 998 Krenzelok EP, 984 Krishel S, 964 Kristal SL, 1261 Krohmer JR, 5 Krug SE, 1153 Kuffner CA, 792 Kuhn W, 765; 1182 Kukielka D. 1088 Kunnel B, 1174 Kuppermann N, 799

LaMantia J, 38 Lambert MJ, 1020 Land C, 799 Lane J, 631 Lanier V. 1098 Larkin GL, 45; 302; 668 Laundrie D. 609 Laupacis A, 95 Lavery R, 1098 Leaming JM, 682 Lederer W, 660 Ledesma S. 1210 Lee CH, 1036; 1044 Lee DC, 208 Lee TJ, 1216; 1224 Lee VW, 103 Leikin JB, 1295 Lerner EB, 1127 Lesser LI, 1054 Lesser M, 1054 Levitt MA, 348; 351; 356; Lewis RJ, 94; 244; 771; 900; 1210; 1272 Li G, 667 Linares MY-R, 1061 Lindsay MB, 860 Ling LJ, 137; 638; 672 Liu T, 1147 Llovera I, 1054 Lopez BL, 348; 351; 356 Lucaine R, 213

Ma OJ, 1050 MacKenzie B, 1098 Mader TJ, 776 Magalski A, 1243 Maglinte DDT, **166**

Lynch MT, 239; 1076

Lurie N, 1109

Lynch EL, 86

Maitra SR, 588 Maleck WH, 88 Mallon WK, 916 Mallory MN, 1203 Manifold CA, 110 Manoguerra AS, 1104 Mansfield M, 1054 Manthey DE, 637 March J, 669 Marks RM, 1195 Martin ML, 258 Marx JA, 31; 169; 752; 1069; 1261 Marx KW. 868 Mason AD, 1061 Mawson AR, 863 McAfee AT, 665 McArthur JC, 1010 McClain SA, 688 McCracken G, 887 McDermott M. 178 McDonald J, 715 McGovern PG, 1109 McInerny J, 849 McKay MP, 708 McKindley DS, 766 McLaughlin SA, 1292 McNamara RM, 1134 McQuillen KK, 27 Mechem CC, 786 Meggs WJ, 1030 Meier F. 8 Meldon SW, 334 Menegazzi JJ, 244; 880 Merino J, 1071 Mertz M, 262 Micalone M, 758 Michelson EA, 54 Miller A, 1232 Miller J, 661; 766 Miller J, 661 Miller MJ, 1195 Milzman DP, 345; 359; 666 Mininni SM, 1180 Mitchell PM, 103; 116; 602; 1024 Mittner J, 998 Moakes ME, 906 Mofenson H, 849 Moore GP, 749 Moore WE, 46 Moorhead J, 255 Morris DL, 218 Moscati RM, 1127 Moser B, 1076 Moskowitz L, 345 Mover V. 906 Muelleman RL, 671; 1050

Magnusson AR, 939

Mahabee-Gittens M, 1210

Nagurney T, 196 Nagy K, 1283 Nashed AH, 121; 719; 807 Natale DR, 972 Neacy K, 262

Mulliken R, 1232

Mullins ME, 966

Nerney MP, 1232 Neuman T, 1075 Nichol G, 95 Nick TG, 857; 1177 Nordt SP, 1104

O'Brien C, 666 O'Connor RE, 46 O'Neil BJ, 75 O'Rourke N, 1024 Ognibene S, 682 Oker E, 1295 Olson LM, 232; 1292 Orava S, 849 Osmond MH, 171; 1005 Ozucelik DN, 664

Page-Rodriguez A, 1072
Panacek EA, 675; 728
Partridge RA, 758
Patel R, 626
Peacock WF IV, 137
Perera TB, 103
Pesola GR, 792
Plint AC, 1005
Prentice ED, 774
Prescott JE, 638

Quinn JV, 171

Rady MY, 626 Randall-Kristal KA, 1261 Rasmussen R, 851 Rath DP, 581 Reardon RF, 973 Reed CR, 833 Reed M, 1005 Regan LA, 224 Rein JA, 768; 1141 Reinhard SS, 786 Rennie W. 38 Ressler JA, 626 Rhead C, 1184 Richards CF, 964 Richards JR, 14 Richardson LD, 280 Richman PB, 719; 807 Richter P. 1104 Ridley DT, 159 Riggs RW, 31 Ripkey C, 155 Risucci DA, 38 Rivers EP. 626 Roberts RR, 178 Robitaille P-ML, 581 Rockswold GL, 1088 Rodgers K, 110 Rodgerson J, 164 Rodman G Jr, 1203 Roeggla G, 1076 Roeggla H, 1076 Roeggla M, 1076 Rosamond WD, 218 Rose A, 865 Rosen C, 638

Rosenberg CR, **670**Rothman RE, 667; **1010**Rothrock SG, 21; 86
Rountree CB, 339
Rubin S, 345
Ruddy RM, 817
Runge J, 1203
Ryan JG, 1054
Rydman RJ, **178**

Sacchetti A. 906 Sakles JC, 1172 Salomon B, 238; 723 Salomone J III, 1141 Sama AE, 638; 1054 Sanders AB, 1189 Santen SA, 339; 957 Sapien RE, 232 Sayre MR, 1147 Scalea TM, 331 Scalzo AJ, 767 Scheatzle MD, 880 Schissel DJ, 637 Schmidt T, 87 Schneider RE. 31 Schneider SM, 984 Schoffstall JM, 208 Schrading W, 1141 Schreiner RJ, 700 Schubert CJ, 817 Schug VL, 271 Schull MJ, 131 Schumacher J, 1223 Scott PA, 618 Serna M, 916 Setnik G, 312 Sewell D, 857 Shah SJ, 1134 Shahan J, 224 Shamsa F, 998 Shapiro DE, 984

Shapiro MJ, 758

Shapiro N, 312

Shih RD, 887 Shofer FS, 786 Short PD, 855 Sikora J, 1127 Silva JC, 362 Simon R, 312 Singer AJ, 184; 658; 688; 895 Singer JI, 53; 595 Sklar DP, 137; 232; 1292 Slater W, 1121 Sloan EP, 362; 1203; 1283 Slobodkin D, 724 Slovis CM, 981 Slymen D, 596 Small SD, 312 Smilkstein MJ, 851 Smith MS, 1249 Smith RW, 618 Smith SR, 767 Smith SW, 84; 163; 239; 953; 1076 Smithline HA, 626; 776 Snoey ER, 911 Sokolove PE, 799 Spillane L, 38 Stair T, 137 Starbuck PC, 761 Steele MT, 1050 Stern SA, 262; 365 Stiell IG, 95; 1005 Stork CM, 213 Storrow A, 110 Strait RT. 989 Strange GR, 811 Summers RL, 693; 1160 Supino PG. 280 Sutcliffe T, 171 Sutton RL, 1088 Swaniker F, 700 Swart G, 1141 Swor RA, 875 Syverud SA, 91; 254; 367;

577; 1066

Taggart P, 840 Taillac PP, 46 Talos EL. 626 Tamkin GW, 911 Tanen DA, 83 Taval VS, 31 Taylor DMcD, 324 Tenenbein M, 1005 Terndrup TE, 682; 1160 Terregino CA, 348; 351; 356 Tham K-Y, 196 Thode HC Jr, 588; 658; 688; 719 Thomas HA Jr. 1050 Thomas TL, 150 Thompson BM, 1261 Thompson MW, 767 Tomaszewski CA, 31 Torres CAA, 581 Trachy JW, 1195 Turner D, 631

Szmit AR, 339

Udelson JE, 998

Valentine SM, 887 Vandevander P, 208 VanRooyen MJ, 145; 811 Vassallo SU, 1121 Veenema KR, 828 Vendemheen K, 95 Verbeek PR, 631 Verdile VP, 46 Verghese J, 1071 Vilke GM, 1075 Vogel EC, 673 Volinsky F, 196

Walls RM, 866

Walter J, 1232 Walters BL, 159 Wang EE, 1249 Wang LC, 1232 Ward KLM, 749 Ward KR. 88 Ward MF, 1054 Warden T, 906 Warren JS, 1195 Watson WA, 671; 1050 Wears RL, 94 Weiner AL, 156 Weiss SJ, 857; 1177 Wells GA, 95 Westfal RE, 792 Whitelaw C, 715 Wightman JM, 1141 Williams CM, 1036; 1044 Williams E, 1243 Williams SR, 1104 Winters RC, 968 Wittlake WA, 21 Wolfson AB, 145 Wood JP, 1180 Woodward LH, 693 Woolard RH, 758 Wortsman J, 626 Wrenn KD, 981 Wuerz RC, 312

Yarnold PR, 54; 1249 Yealy DM, 88 Young KD, 244 Younger JG, 75; 700

Zachariah BS, 2; 46 Zalenski RJ, 178; 998 Zaoutis T, 8 Zazzali JL, 736 Zhu H, 581 Zielske PG, 724 Zvosec DL, 163

